The Sinks

Foster takes great care to use materials able to provide the best performance. Our entire range is made with **AISI 304 - 18/10** austenitic steels. Thanks to the high percentages of chrome and nickel they contain, they give a particularly bright finish, and make the products extremely sturdy and absolutely resistant to rust and corrosion.

S4001 page 38

S4000 page 41

Quadra page 43

Quadra S page 47

KE page 48

S3000 page 51

FM page 54

KS page 56

Big Bowl page 59

Big Bowl Soft page 61

Uragano page 62

Tornado page 63

Alien 2 page 66

Triplo invaso page 68

F2000 page 70

Trapezio page 72

Diamant page 73

Angolare page 74

Rondò page 76

Circolari page 77

S1000 page 78

Undermount sinks page 82

Complements page 104

Designer finishes

The exclusive finishes on Foster steels are the result of painstaking research, the aim being to achieve the perfect combination between good looks and functionality.
A distinctive feature, a true trademark that makes our products stand out for the ease with which they can be cleaned.

Foster finish

Foster brushed finish
The steel is treated with special vegetable fibres that give it the characteristic extrafine satin finish that is highly elegant and functional. This makes the surfaces very smooth and easy to clean.

Microfoster finish

Microfoster® finish
A scratchproof finish with an exclusive, extrafine and almost imperceptible textured appearance that gives the steel a special shine and sets off the style to its best effect.

Design finish

Design finish
Scratchproof finish with an original and elegant texture that protects the material from accidental scuffing and from wear through use.

Built-in and beyond

The methods with which worktops can be built-in have become increasingly more varied and customized. Foster was the first sink manufacturer to have researched and used the new recessing methods and has thus acquired a great deal of experience. It now offers the most comprehensive range available on the market, with flush-mount, flat-edge and undermount installation.

Standard
Traditional built-in with the vertical, 8-mm edge.



Q4
The casing has a square edge that stands on the work surface by just 4 mm. Great solution to match the sink with the ceramic glass hobs (Induction).

Flat-edge
An original edge, with an inclined, 3 mm high profile, matching an extreme elegance with the easiness of installation.

Flush-mount
The product is sunk in 1,5 mm deep recess thus beeing perfectly flush with the worktop. As alternative, it can be installed on the worktop as well.

Undermount
A classy and contemporary idea, to be installed under the worktop; available in various types of sinks, with soft or square design.

Built-in
The most stylish and assertively professional solution is to weld the sink to the stainless steel worktop, producing one sleek, seamless block.

Flush-mount & Flat-edge: a clarification to be done

Many manufacturers indicate as Flat-edge a Flush-mount edge mounted on the worktop.

For Foster Flat-edge means a real alternative built-in solution with an elegant 3 mm sloping edge.

In any case, Foster's Flush-mount models can be mounted on the worktop (as in the detail in the picture), thus offering a further built-in solution.

Features

In designing a kitchen, it is essential to create a washing area tailored to one's requirements.
As a matter of fact, statistics show that most of the time spent in the kitchen involves preparing and cleaning food or washing dishes, therefore, using the sink.

Essential aspects to consider when choosing a sink include the quality of the steel, manufacturer's warranty, shape and size of the bowls and available accessories, be they standard or optional. Foster offers all of this in over 300 items, to enable everyone to choose his/her "OWN" sink.

Mixer hole
All Foster sinks (unless otherwise requested) are supplied with the mixer installation hole as a standard feature. Several sink models may be requested with two or three holes for immediately inserting the automatic waste control or dispenser. To verify the availability of the second or third hole, please refer to the specifications on the drawing, or contact our offices directly (see page 104).

Waste fitting with remote control
The waste fitting with remote control is part of the standard equipment supplied with some of the models. A very convenient accessory that saves you from wetting your hands when the bowl needs emptying (see page 107).

Accessories
To complement the functionalities of the sinks, Foster offers a full range of accessories, whether wooden chopping boards, dispensers, baskets, dishes holders or food waste disposers.

Sturdy sinks
For every type of sink (welded or single-moulded) and price bracket, Foster works with above-average steel thickness when compared to other manufacturers. As a result, also owing to our long experience, we are able to construct "sturdy" sinks displaying a unique design.

Spacious bowls
Thanks to the pioneering manufacturing technology used, all the bowls in Foster sinks provide a generous depth (even the single-moulded versions, i.e. formed from a single sheet of steel). The bowls in many of the versions are more than 20 cm deep, thus sizeable and practical for all washing operations.

Waste fittings
Foster sinks are equipped with a generously sized 3.5" waste fitting and practical strainer plug that prevents solids from flowing away with the waste water. The 3.5" drain allows the Foster waste-disposer, which is compatible with all models, to be used. (Compatibility with the waste-disposer of other manufacturers is not guaranteed).

On-top and flush-mount range

120 - models from 101 to 120 cm width

S4001 - page 38 NEW

Q4 FT

S4000 - page 41

Q4 FT

Quadra - page 43

SF FT

SF FT

KE - page 48

SF

S3000 - page 51

STD SF FT

FM - page 54 NEW

STD

KS - page 56

STD

Big Bowl - page 59

STD FT

STD

Alien2 - page 66

STD

F2000 - page 70

STD

S1000 - page 78

STD

100 - models from 91 to 100 cm width

S4001 - page 38 NEW

Q4 FT

S4000 - page 41

Q4 FT

Quadra - page 43 NEW

FT

QuadraS - page 47

SF FT

SF FT

KE - page 48

SF

SF

S3000 - page 51

STD SF FT

FM - page 54 NEW

STD

KS - page 56

STD

STD

Uragano - page 62

STD FT

Alien2 - page 66

STD

S1000 - page 78

STD

Angular solutions

Angolari - pages 74-75

STD

STD

STD

STD

On-top and flush-mount range

GK series sinks
see pages XII-XIV

ST Undermount range
see pages 86-87

90 - models from 81 to 90 cm width

S4001 - page 38



S4000 - pages 41-42



Quadra - page 44



Quadra S - page 47



KE - page 49

S3000 - pages 51-52





FM - pages 54-55

KS - page 57

Big Bowl-BB Soft - pages 59-61

Alien 2 - pages 66-67

Triplo invaso - pages 68-69

F2000 - page 70

S1000 - page 79

Continued on next page >>>

Semi-angular solutions

Trapezio - page 72

Diamant - page 73

Key to symbols

- STD Standard
- Q4 Q4
- SF Flat-edge
- FT Flush-mount

- Brushed finish
- Microfoster finish
- Design finish

On-top and flush-mount range

80 - models from 71 to 80 cm width

S4001 bowl - page 39



Quadra - page 44

KE - page 50

S3000 - page 52

Tornado - page 63

F2000 - page 71

S1000 - pages 79-80



60 - models from 51 to 60 cm width

S4001 bowls - page 39

Quadra - pages 44-45

KE - page 50

S3000 bowl - page 53

Big Bowl - page 60

Big Bowl Soft - page 61

< 50 - models below 60 cm width

S4001 bowls - page 40



Quadra - page 45



S3000 bowls - page 53

KS - page 58

S1000 - page 80

Circolare-Rondò - pages 76-77

Combinations

Foster is one of the very few companies manufacturing both sinks and hobs. This enables us to pursue a policy of matching of shape and designs on the horizontal worktop: for kitchens in which every detail counts.



Q4
Q4 edge matches perfectly with induction hobs which feature a 4 mm glass thickness.

Standard
Foster range offers countless cooking-washing combinations with standard 8 mm built-in.

Flat-edge
The Flat-edge solution is always available in the most prestigious series, for highly stylish combinations.

Complements that make the difference

An allocation of increasingly rich and designed accessories features Foster's proposals.
All models are accompanied with cutting boards, bowls, dishes holders and colanders that enhance the aesthetics and functionality of your sink. The full range is presented on the following pages.

Modular sets

Space and time, more and more valuable items in the kitchen.
For this reason Foster has designed integrated systems of accessories that enhance your every move, and minimize space when not in use.

The big bowls...with many accessories
Foster range is particularly rich in sinks with large single bowls. From the functional point of view this is in fact the best solution: a single large basin which can contain dishes and objects of considerable size, equipped with bowls, baskets and chopping boards which make the working area flexible and perfectly functional. In the picture: **N2** chopping board matches with **O2** bowl and **T1** dishes holder, to form a complete set of great elegance.

A versatile chopping board
The Twin Hdpe chopping board **N3** combines with the new kit **P2** to accommodate graters and the containment bowl below. Other accessories can be inserted in the outer ring of the chopping board, as the dishes holder **T2** or the colander **Z2**.

The chopping boards

The wide range of boards includes many proposals in precious woods, highly resistant to wear and absorption of liquids, to ensure health and long life. Glass and synthetic models, round off Foster' solutions.

Wood chopping boards

A

Chopping board
34x40 cm
8647 000

B

Chopping board
36x40 cm
8654 000

B2

Chopping board
36x40 cm
8642 001

B3

Chopping board
34,5x40 cm
8642 002

C

Chopping board
29x40 cm
8653 000

E

Chopping board
45x40 cm
8655 000

G

Chopping board
40x40 cm
8646 000

H

Chopping board
37x30 cm
8659 111

I

Chopping board
37x46 cm
8659 112

J

Round chopping board
Ø40 cm
8651 000

K

Iroko chopping board
8648 000

L2

Twin Chopping board
37x46 cm
8644 003

L3

Twin chopping board
41x41 cm
8644 004

Σ

Padouk wood Twin chopping board
35,2x45,7 cm
8644 040

M

Sliding chopping board
30x54 cm
8643 000

M2

Chopping board
28x48 cm
8643 115

M3

Sliding chopping board
28x48
8643 116

Glass chopping boards

L4

Glass chopping board
23x41 cm
8631 300

L5

Glass chopping board
29x54 cm
8633 300

HDPE chopping boards & kit

N2

HDPE chopping board
27,2x42,5 cm
8657 001

N3

HDPE Twin
chopping board
31,7x42,5 cm
8644 101

P2

Grating kit complete
with ring support and
food collection bowl
8159 101

Baskets, colanders and bowls

Baskets, colanders and bowls. Each Foster sinks can easily be enriched with valuable additions that will help you in all your work in the kitchen.

Dishes holders and bowls

O

White bowl
36x30 cm

8152 100

O2

White bowl
41,4x27,2 cm

8153 100

T

St. steel dishes holder
25x35 cm

8100 154

T1

St. steel dishes holder
25x42,5 cm

8100 201

T2

St. steel dishes holder
21,4x37,9 cm

8100 303

U

St. steel dishes holder
25x45 cm

8100 111

U2

St. steel dishes holder
23x47 cm

8100 115

U

St. steel bowl holder
37x45 cm

8100 112

β

St. steel dishes holder
28x40 cm

8100 280

β1

St. steel dishes holder
25x43 cm

8100 301

W



St. steel dishes holder

8100 331

Ξ

St. steel dishes holder

8100 040

Baskets for bowls

R



St. steel basket
34x40 cm

8611 000

S

St. steel basket
40x40 cm

8612 000

S1

White basket
40x40 cm

8612 100

α

Round White basket
Ø36 cm

8601 000

X

St. steel basket

8610 000

Colanders

Q

White colander
17x32 cm

8151 100

Z

St. steel colander
25x36 cm

8154 000

Z2

St. steel perforated
pan 21,5x38 cm

8151 000

Y

St. steel colander

8153 000

δ

St. steel colander

8153 001

Δ

St. steel colander

8154 040

Foster

How to read the catalogue (sinks chapter)

Types of installation

Many Foster sinks are available in a variety o versions (Standard, Flush-mount, Flat-edge and Undermount) that can have slightly different dimensions. Therefore we reccomend to check the specifications besides every version. The built-in type to which figures are referred is always specified under the drawing.

Right-hand, left-hand and reversible sinks

The double code for a single model indicates that both right-hand and left-hand versions are available. The right-hand version (dx) refers to a sink with the bowl (or bigger bowl on models without drainer) on the right. Left-hand versions are identified by the code “sx”. The single code indicates that the sink is reversible, or that only the version shown in the picture or drawing is available.

	Features	Version	Code	Technical Drawing
Cabinet 90	finish: brushed dimensions: **1160x500** 2b: **400x400+340x400** cut-out: 1140x480 drain: 3½”	STD	1312 061 dx 1312 062 sx	External dimensions refer to standard version 
	finish: brushed dimensions: **1173x513** 2b: **400x400+340x400** cut-out: 1140x480 drain: 3½”	SF	1318 061 dx 1318 062 sx	
Accessories: A G L4 N2 N3 O2 P2 R S T2 ß1 For Standard and Flat-edge version only: L5 M	finish: brushed dimensions: **1173x513** 2b: **400x400+340x400** cut-out: see packaging drain: 3½”	FT	1315 061 dx 1315 062 sx	Packing: 1240x560x250 mm 11,5 kg



Accessories

Always striving to blend aesthetics and functionality, Foster devotes special attention to its products’ Accessories. This catalogue places special emphasis on the optional features indicated below each model, to facilitate identification of the proper combinations.

Cabinet

“Cabinet” refers to the smallest standard element of a modular kitchen in which a sink can be fitted in.
In some cases you may find a double standard:
(ß) for fitting in top at least 40 mm thick, consider the smaller measure, as indicated in parentheses (e.g. page 43);
(T) for fitting in the beginning/end of composition, consider the bigger measure, as indicated in parentheses.
For special fittings that require extra adaptations to the furniture, please refer to the kitchen manufacturer.





Mixer tap holes

In the drawings standard tap holes are shown with continuous line. Further possible holes on request, in order to install the automatic waste fitting and the dispenser, are shown with a dashed line. For some models, customization with additional holes can be done with some extra costs.

S4001

The evolution of S4000 sinks with new bowls with an even tighter radius, enriched by new drain with stainless steel plug and the exclusive perimetric overflow.

	Features	Version	Code	Technical Drawing
Cabinet 80 NEW	AISI 304 brushed dimensions: **1160x500** 1 bowl: **710x400** cut-out: 1140x480 drain: SPACE 3½"	Q4	**4416 061 dx** **4416 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **1173x513** 1 bowl: **710x400** cut-out: see page 251 drain: SPACE 3½"	FT FT	**4417 061 dx** **4417 062 sx**	
				Packing: 1240x570x260 mm 14 kg
Cabinet 60/(80)[T] (ref. page 37) NEW	AISI 304 brushed dimensions: **970x500** 2b: **340x400+170x340** cut-out: 950x480 **automatic drain** SPACE 3½"	Q4	**4462 061 dx** **4462 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **983x513** 2b: **340x400+170x340** cut-out: see page 251 **automatic drain** SPACE 3½"	FT FT	**4465 061 dx** **4465 062 sx**	
				Packing: 1050x570x260 mm 12,8 kg
Cabinet 60 NEW	AISI 304 brushed dimensions: **860x500** 1 bowl: **450x400** cut-out: 840x480 drain: SPACE 3½"	Q4	**4483 061 dx** **4483 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **873x513** 1 bowl: **450x400** cut-out: see page 251 drain: SPACE 3½"	FT FT	**4486 061 dx** **4486 062 sx**	
				Packing: 940x570x260 mm 10,5 kg

Picture shows sx version

Available from September

Accessories:

L4 N2 N3 O2 P2 R T1 T2 Z2

For Q4 version only: L5 M

Picture shows sx version

Available from September

Accessories:

L4 N2 N3 O2 P2 R T1 T2 Z2

For Q4 version only: L5 M

Picture shows sx version

Available from September

Accessories:

L4 N2 N3 O2 P2 R T1 T2 Z2

For Q4 version only: L5 M

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4001

R12 sinks range is the new series of flush-mount bowls featuring a particularly tight radius and and valuable fittings such as the stainless steel space-saving drain and the elegant perimetric overflow.

	Features	Version	Code	Technical Drawing
Cabinet 80 **Available from September** Accessories: L3 L4 N2 N3 O2 P2 S T T1 Z T2 Z2 Automatic waste fitting: PA (page 106)	NEW AISI 304 brushed dimensions: **760x450** 1 bowl: **710x400** cut-out: see page 251 drain: SPACE 3½"	FT FT	**3127 060**	 200 / R10 / 760 / 710 / 450 / 400 Packing: 930x520x250 mm 7,8 Kg
Cabinet 60 **Available from September** Accessories: L3 L4 N2 N3 O2 P2 S T T1 Z T2 Z2 Automatic waste fitting: PA (page 106)	NEW AISI 304 brushed dimensions: **550x450** 1 bowl: **500x400** cut-out: see page 251 drain: SPACE 3½"	FT FT	**3125 060**	 200 / R10 / 550 / 500 / 450 / 400 Packing: 650x520x250 mm 7,3 Kg
Cabinet 60 **Available from September** Accessories: L3 L4 N2 N3 O2 P2 S T T1 Z T2 Z2 Automatic waste fitting: PA (page 106)	NEW AISI 304 brushed dimensions: **500x450** 1 bowl: **450x400** cut-out: see page 251 drain: SPACE 3½"	FT FT	**3124 060**	 200 / R10 / 500 / 450 / 450 / 400 Packing: 550x520x250 mm 5,9 Kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4001

	Features	Version	Code			Technical Drawing

Cabinet 45

NEW

AISI 304 brushed
dimensions: **450x450**
1 bowl: **400x400**
cut-out: see page 251
drain: SPACE 3½"

FT
FT

3126 060



Available from September

Accessories:
L3 L4 N2 N3 O2 P2 PA S T T1 Z T2 Z2
Automatic waste fitting: PA (page 106)

Packing: 460x520x250 mm 5,6 kg

Cabinet 40

NEW

AISI 304 brushed
dimensions: **390x450**
1 bowl: **340x400**
cut-out: see page 251
drain: SPACE 3½"

FT
FT

3123 060



Available from September

Accessories: L4 N2 N3 O2 P2 PA R T1 T2 Z2
Automatic waste fitting: PA (page 106)

Packing: 460x520x250 mm 5,3 kg

Cabinet 30

NEW

AISI 304 brushed
dimensions: **220x450**
1 bowl: **170x400**
cut-out: see page 251
drain: SPACE 3½"

FT
FT

3121 060



Available from September

Automatic waste fitting: PA (page 106)

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

L5 M R T2** page 35

L3
Twin chopping board
41x41 cm
8644 004



L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

PA
Automatic waste fitting SPACE see page 106
8407 108

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

T1
St. steel dishes holder 25x42,5 cm
8100 201

Z *
St. steel colander
25x36 cm
8154 000

Z2 **
St. steel perforated pan 21,5x38 cm
8151 000

*To use only with L3 chopping board **To use only with N3 chopping board

S4000

One of he hallmark of the S4000 sink range is the built-in draining board, an indispensable addition for a functional and clean kitchen.

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 80	AISI 304 brushed dimensions: **1160x500** 2 bowls: **340x400** cut-out: 1140x480 drain: Premium 3½"	Q4	**4312 061 dx** **4312 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **1173x513** 2 bowls: **340x400** cut-out: see page 251 drain: Premium 3½"	FT FT	**4315 061 dx** **4315 062 sx**	Packing: 1240x570x260 mm 14,9 kg
Cabinet 60/(80)T (ref. page 37)	AISI 304 brushed dimensions: **970x500** 2b: **180x400+340x400** cut-out: 950x480 **automatic drain** Premium 3½" *	Q4	**4362 061 dx** **4362 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **983x513** 2b: **180x400+340x400** cut-out: see page 251 **automatic drain** Premium 3½" *	FT FT	**4365 061 dx** **4365 062 sx**	Third tap hole available Packing: 1050x570x260 mm 12,9 kg
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2b: **340x400+400x400** cut-out: 840x480 **automatic drain** Premium 3½" *	Q4	**4382 060**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **873x513** 2b: **340x400+400x400** cut-out: see page 251 **automatic drain** Premium 3½" *	FT FT	**4385 060**	Third tap hole available Packing: 940x570x260 mm 10,9 kg

Picture shows sx version

Accessories:
L4 N2 N3 O2 P2 R T1 T2 Z2
For Q4 version only: L5 M

Picture shows sx version

Accessories:
L4 N2 N3 O2 P2 R T1 T2 Z2
For Q4 version only: L5 M

Accessories:
L4 N2 N3 O2 P2 R T1 T2 Z2
For Q4 version only: L5 M

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4000

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed dimensions: **860x500** 1 bowl: **450x400** cut-out: 840x480 drain: Premium 3½"	Q4	**4383 061 dx** **4383 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed dimensions: **873x513** 1 bowl: **450x400** cut-out: see page 251 drain: Premium 3½"	FT FT	**4386 061 dx** **4386 062 sx**	

Picture shows sx version

Accessories:
L4 L3 N2 N3 O2 P2 S T T1 T2 Z Z2
For Q4 version only: L5 M



Packing: 940x570x260 mm 10,5 kg

Cabinet 45	AISI 304 brushed dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 drain: Premium 3½"	Q4	**4381 061 dx** **4381 062 sx**	External dimensions refer to Flush-mount version
	AISI 304 brushed 1 bowl: **340x400** dimensions: **873x513** cut-out: see page 251 drain: Premium 3½"	FT FT	**4384 061 dx** **4384 062 sx**	

Picture shows sx version

Accessories: L4 N2 N3 O2 P2 R T1 T2 Z2
For Q4 version only: L5 M



Packing: 940x570x260 mm 10,2 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Two sloped "grooves" are carved into the drainig board. Minimalism and functionality.

Accessories

L5 R T2** pages 34-35

L3
Twin chopping board
41x41 cm
8644 004



L4
Glass chopping board
23x41 cm
8631 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

T1
St. steel dishes holder 25x42,5 cm
8100 201

Z *
St. steel colander
25x36 cm
8154 000

Z2 **
St. steel perforated pan 21,5x38 cm
8151 000

*To use only with L3 chopping board **To use only with N3 chopping board

Quadra

The Quadra washing solutions are perfectly in tune with the minimalist trends sweeping through the interior design world. Pure squared lines coupled with the sophisticated finishes of the Foster steels are the ingredients of the wide range of sinks and bowls, which can be fitted overmount (flat-edge and Q4-edge), flush-mount and undermount.

The corners at the bottom of the bowls are now rounded to make them easier to clean while the vertical ones, strictly "curve-less", are due to the original, plan and sober concept.



Tre Alto
(8468 000 - pag. 122)

1/2 Circle
(8480 000 - pag. 120)

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet (60)^{9}/120 (ref. page 37)	AISI 304 brushed dimensions: **1079x479** 1 bowl: **470x400** cut-out: 1059x459 drain: 3½"	SF	**1211 090**	External dimensions refer to Flat-edge version
	AISI 304 brushed dimensions: **1064x464** 1 bowl: **470x400** cut-out: see page 251 drain: 3½"	FT FT	**1210 090**	



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2
Automatic waste fitting: PR PQ PC (page 107)

Packing: 1140x540x290 mm 13,2 kg

Cabinet (60)^{9}/90 (ref. page 37)	AISI 304 brushed dimensions: **1000x510** cut-out: 980x495 drain: **automatic 3½"**	SF	**1213 091 dx** **1213 092 sx**	External dimensions refer to Flat-edge version
	finitura: spazzolato dimensions: **985x503** cut-out: see page 251 drain: **automatic 3½"**	FT FT	**1223 091 dx** **1223 092 sx**	

Picture shows dx version



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Packing: 1080x570x290 mm 13,2 kg

Cabinet (80)^{9}/120 (ref. page 37) NEW	AISI 304 brushed dimensions: **1000x440** 1 bowl: **675x400** cut-out: see page 251 drain: 3½"	FT FT	**1220 090**	



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2
Automatic waste fitting: PA (page 106)

Packing: 1140x540x290 mm 13,5 Kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **864x464** 1 bowl: **800x400** cut-out: see page 251 drain: 3½"	FT FT	**1218 090**	 Packing: 930x540x290 mm 11 kg
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2 Automatic waste fitting: PR PQ PC (page 107)				
Cabinet 90	AISI 304 brushed dimensions: **840x510** 1 bowl: **761x400** cut-out: 820x495 drain: **automatic 3½"**	SF	**1219 090**	External dimensions refer to Flat-edge version  Packing: 1060x580x290 mm 10,8 kg
	AISI 304 brushed dimensions: **825x503** 1 bowl: **761x400** cut-out: see page 251 drain: **automatic 3½"**	FT FT	**1229 090**	
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2				
Cabinet 90	AISI 304 brushed bowl: **71x40 cm** dimensions: 839x479 cut-out: 819x459 drain: **automatic 3½"**	SF	**1250 090**	 Packing: 930x600x300 mm 11 kg
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2				
Cabinet 90	AISI 304 brushed dimensions: **804x510** 2 bowls: **340x400** cut-out: 784x495 drain: 3½"	SF	**1209 090**	External dimensions refer to Flat-edge version  Packing: 950x540x290 mm 10,9 kg
	AISI 304 brushed dimensions: **789x503** 2 bowls: **340x400** cut-out: see page 251 drain: 3½"	FT FT	**1208 090**	
Accessories: L4 N2 N3 O2 P2 R T1 T2 Z2				
Cabinet (45)^{8}/60 (ref. page 37) *Picture shows sx version*	AISI 304 brushed dimensions: **600x520** 1 bowl: **270x400** cut-out: 580x500 drain: **automatic 3½"**	Q4	**1246 091 dx** **1246 092 sx**	 Packing: 650x570x290 mm 8 kg
Accessories: L4 N2 O2 T1				

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed dimensions: **560x520** 1 bowl: **500x400** cut-out: 540x500 drain: **automatic 3½"**	Q4	**1243 090**	External dimensions refer to Q4 version  Packing: 620x540x290 mm 7 kg
	AISI 304 brushed dimensions: **579x510** 1 bowl: **500x400** cut-out: 559x495 drain: **automatic 3½"**	SF	**1216 090**	
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2				
Cabinet 60	AISI 304 brushed dimensions: **564x464** 1 bowl: **500x400** cut-out: see page 251 drain: 3½"	FT FT	**1215 090**	 Packing: 610x540x290 mm 6,6 kg
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2 Automatic waste fitting: PR PQ PC (page 107)				
Cabinet 45	AISI 304 brushed dimensions: **479x510** 1 bowl: **400x400** cut-out: 459x495 drain: **automatic 3½"**	SF	**1205 090**	 Packing: 560x540x290 mm 6 kg
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2				
Cabinet 45	AISI 304 brushed dimensions: **464x464** 1 bowl: **400x400** cut-out: see page 251 drain: 3½"	FT FT	**1214 090**	 Packing: 560x540x290 mm 6 kg
Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2 Automatic waste fitting: PR PQ PC (page 107)				
Cabinet 40	AISI 304 brushed dimensions: **400x520** 1 bowl: **340x400** cut-out: 380x500 drain: **automatic 3½"**	Q4	**1241 090**	 Packing: 640x560x290 mm 5,5 kg
Accessories: L4 N2 N3 O2 P2 T1 T2 Z2				

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra 7"

Features	Version	Code			Technical Drawing

Cabinet 90

AISI 304 brushed
dimensions: **864x464**
1 bowl: **800x400**
cut-out: see page 251
drain hole: **7"**

FT
FT

1218 097



Accessories: L3 L4 N2 O2 S T T1 Z

Available also in undermount version, see page 90

Packing: 930x540x290 mm 11 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.



The 7" waste fitting features a bigger dimension than standard ones. The drain offers a large and deep basket for food waste collection.

Accessories

L3
Twin chopping board
41x41 cm
8644 004



L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101



R
St. steel basket
34x40 cm
8611 000

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

T1
St. steel dishes holder 25x42,5 cm
8100 201

T2 **
St. steel dishes holder
21,4x37,9 cm
8100 303

Z *
St. steel colander
25x36 cm
8154 000

Z2 **
St. steel perforated pan 21,5x38 cm
8151 000

*To use only with L3 chopping board **To use only with N3 chopping board

Quadra S

That something more in the Quadra series: a successful draining board. Quadra S resembles the two top-of-the-range series of the Foster collection.

R.0
R9
In Quadra S sinks the corners at the bottom of the bowls are now rounded to make them easier to clean while the vertical ones, strictly "curve-less", are due to the original, plan and sober concept.
Tre Alto
(8468 000 - pag. 122)
NYC
(8486 000 - pag. 125)
suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 60/(80)^{T} (ref. page 37) *Picture shows sx version* Accessories: L4 N2 N3 O2 P2 R T1 T2 Z2 For Flat-edge version only: L5 M	AISI 304 brushed dimensions: **983x513** 2b: **180x340+340x400** cut-out: 950x480 drain: **automatic 3½"**	SF	**5362 061 dx** **5362 062 sx**	External dimensions refer to Flat-edge version  Third tap hole available Packing: 1070x570x260 mm 11,8 kg
	AISI 304 brushed dimensions: **983x513** 2b: **180x340+340x400** cut-out: see page 251 drain: **automatic 3½"**	FT FT	**5365 061 dx** **5365 062 sx**	
Cabinet 60/(80)^{T} (ref. page 37) *Picture shows sx version* Accessories: L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2 For Flat-edge version only: L5 M	AISI 304 brushed dimensions: **983x513** 1 bowl: **500x400** cut-out: 950x480 drain: **automatic 3½"**	SF	**5361 061 dx** **5361 062 sx**	External dimensions refer to Flat-edge version  Packing: 1070x570x260 mm 11,5 kg
	AISI 304 brushed dimensions: **983x513** 1 bowl: **500x400** cut-out: see page 251 drain: **automatic 3½"**	FT FT	**5364 061 dx** **5364 062 sx**	
Cabinet 45 *Picture shows sx version* Accessories: L4 N2 N3 O2 P2 R T1 T2 Z2 For Flat-edge version only: M Automatic waste fitting: PR PQ PC (page 107)	AISI 304 brushed dimensions: **873x513** 1 bowl: **340x400** cut-out: 840x480 drain: 3½"	SF	**5381 061 dx** **5381 062 sx**	External dimensions refer to Flat-edge version  Second tap hole available Packing: 940x570x260 mm 9 kg
	AISI 304 brushed dimensions: **873x513** 1 bowl: **340x400** cut-out: see page 251 drain: 3½"	FT FT	**5384 061 dx** **5384 062 sx**	

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KE

KE sinks feature clear-cut, distinctive designs: a handy raised-edge drainer and large, spacious bowls (200 mm) edged with an inclined drip-guard that prevents over-spill.

suggested mixer taps

	Features	Version	Code			Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **1173x513** 1 bowl: **710x400** cut-out: 1140x480 drain: 3½"	SF	**2211 061 dx** **2211 062 sx**			
 Picture shows sx version						
Accessories: L3 L4 L5 M N2 N3 O2 P2 S T T1 T2 Z Z2 Automatic waste fitting: PR PQ PC (page 107)						Second tap hole available Packing: 1200x520x250 mm 11 kg
Cabinet 80	AISI 304 brushed dimensions: **983x513** 1 bowl: **500x400** cut-out: 950x480 drain: 3½"	SF	**2263 061 dx** **2263 062 sx**			
 Picture shows sx version						
Accessories: L3 L4 L5 M N2 N3 O2 P2 S T T1 T2 Z Z2 Automatic waste fitting: PR PQ PC (page 107)						Second tap hole available Packing: 1070x570x250 mm 10,5 kg
Cabinet 60/(80)^{T} (ref. page 37)	AISI 304 brushed dimensions: **983x513** 2b: **180x340+340x400** cut-out: 950x480 drain: 3½"	SF	**2297 061 dx** **2297 062 sx**			
 Picture shows sx version						
Accessories: L4 L5 M N2 N3 O2 P2 R T1 T2 Z2 Automatic waste fitting: PR PQ PC (page 107)						Second tap hole available Packing: 1070x570x260 mm 10,5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KE

	Features	Version	Code			Technical Drawing

Cabinet 80

AISI 304 brushed
dimensions: **873x513**
1 bowl: **710x400**
cut-out: 840x480
drain: 3½"

SF **2287 060**



Accessories:
L4 L5 M N2 N3 O2 P2 S T1 T2 Z2

Packing: 940x570x260 mm 10,8 kg

Cabinet 80

NEW

AISI 304 brushed
dimensions: **873x513**
2b: **340x400**
cut-out: 840x480
drain: 3½"

SF **2283 060**



Accessories:
L4 L5 M N2 N3 O2 P2 R T1 T2 Z2
Automatic waste fitting: PR PQ PC (page 107)

Packing: 940x570x260 mm 10 kg

Cabinet 60

NEW

Picture shows sx version

AISI 304 brushed
dimensions: **873x513**
1 bowl: **450x400**
cut-out: 840x480
drain: 3½"

SF **2280 061 dx**
2280 062 sx



Accessories: L3 L4 L5 M N2 N3 O2 P2 S T
T1 T2 Z Z2

Packing: 940x560x250 mm 9 Kg

Cabinet 45

Picture shows sx version

AISI 304 brushed
dimensions: **873x513**
1 bowl: **340x400**
cut-out: 840x480
drain: 3½"

SF **2281 061 dx**
2281 062 sx



Accessories:
L4 L5 M N2 N3 O2 P2 R T1 T2 Z2
Automatic waste fitting: PR PQ PC (page 107)

Second tap hole available

Packing: 940x560x250 mm 8,2 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KE Series also includes elegant gas cooker hobs and a new collection of multifunction and pyrolytic ovens. In the picture: the matching with the original version of the hob with white grids.

KE

	Features	Version	Code			Technical Drawing

Cabinet 80

AISI 304 brushed
1 bowl: **710x400**
dimensions: 770x520
cut-out: 750x500
drain: **automatic 3½"**

Q4

2278 060



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Packing: 770x540x290 mm 8 kg

Cabinet 60

AISI 304 brushed
1 bowl: **450x400**
dimensions: 510x520
cut-out: 490x500
drain: **automatic 3½"**

Q4

2274 060



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Packing: 600x540x290 mm 6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Q4 versions of KE sinks match perfectly with the S4000 Domino cooking solutions.

Accessories

R T* Z2** page 35

L3
Twin chopping board
41x41 cm
8644 004



L4
Glass chopping board
23x41 cm
8631 300

L5
Glass chopping board
29x54 cm
8633 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100



T1
St. steel dishes holder 25x42,5 cm
8100 201

T2 **
St. steel dishes holder
21,4x37,9 cm
8100 303

Z *
St. steel colander
25x36 cm
8154 000

*To use only with L3 chopping board **To use only with N3 chopping board

S3000

A successful collection thanks to its sober elegance. The wide range of available versions - that vary in terms of size and type of installation - makes the S3000 an evergreen series that can be combined with all Foster cooker hobs.

suggested mixer taps

Flexo
(8456 000 - pag. 117)

Tre basso
(8457 000 - pag. 122)

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **1160x500** 2b: **400x400+340x400** cut-out: 1140x480 drain: 3½"	STD	**1312 061 dx** **1312 062 sx**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **1173x513** 2b: **400x400+340x400** cut-out: 1140x480 drain: 3½"	SF	**1318 061 dx** **1318 062 sx**	
	AISI 304 brushed dimensions: **1173x513** 2b: **400x400+340x400** cut-out: see page 251 drain: 3½"	FT FT	**1315 061 dx** **1315 062 sx**	Packing: 1240x560x250 mm 11,5 kg
Cabinet 60/(80)^{T} (ref. page 37)	AISI 304 brushed dimensions: **970x500** 2b: **340x400+150x300** cut-out: 950x480 drain: 3½"	STD	**1363 061 dx** **1363 062 sx**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **983x513** 2b: **340x400+150x300** cut-out: 950x480 drain: 3½"	SF	**1369 061 dx** **1369 062 sx**	
	AISI 304 brushed dimensions: **983x513** 2b: **340x400+150x300** cut-out: see page 251 drain: 3½"	FT FT	**1366 061 dx** **1366 062 sx**	Second and third tap hole available Packing: 1070x570x250 mm 9,4 kg
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2b: **400x400+340x400** cut-out: 840x480 drain: 3½"	STD	**1382 062 sx**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **873x513** 2b: **400x400+340x400** cut-out: 840x480 drain: 3½"	SF	**1388 062 sx**	
	AISI 304 brushed dimensions: **873x513** 2b: **400x400+340x400** cut-out: see page 251 drain: 3½"	FT FT	**1385 062 sx**	Packing: 940x560x250 mm 10 kg

Picture shows dx version

Accessories:
A G L4 N2 N3 O2 P2 R S T2 β1
For Standard and Flat-edge version only: L5 M

Picture shows dx version

Accessories:
A L4 N2 N3 O2 P2 Q R T2 β1
For Standard and Flat-edge version only: L5 M
Automatic waste fitting: PR PQ PC (page 107)

Accessories:
A G L4 N2 N3 O2 P2 R S T2 β1
For Standard and Flat-edge version only: L5 M
Automatic waste fitting: PR PQ PC (page 107)

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S3000

	Features	Version	Code	Technical Drawing
Cabinet 60 *Picture shows sx version* Accessories: G L4 N2 N3 O2 P2 S T2 β1 For Standard and Flat-edge version only: L5 M Automatic waste fitting: PR PQ PC (page 107)	AISI 304 brushed dimensions: **860x500** 1 bowl: **400x400** cut-out: 840x480 drain: 3½"	STD	**1381 061 dx** **1381 062 sx**	External dimensions refer to standard version  Second tap hole available
	AISI 304 brushed dimensions: **873x513** 1 bowl: **400x400** cut-out: 840x480 drain: 3½"	SF	**1387 061 dx** **1387 062 sx**	
	AISI 304 brushed dimensions: **873x513** 1 bowl: **400x400** cut-out: see page 251 drain: 3½"	FT FT	**1384 061 dx** **1384 062 sx**	
				Packing: 940x570x260 mm 8,5 kg
Cabinet 80 Accessories: A L4 L5 M N2 N3 O2 P2 R T2 β1	AISI 304 brushed dimensions: **790x500** 2 bowls: **340x400** cut-out: 770x480 drain: 3½"	STD	**1372 060**	
				Packing: 850x560x250 mm 8,4 kg

The artful combination of straight lines (draining board) and curved lines (the wide-radius bowls) creates an ideal match with either squared or curved-rod mixer taps.

S3000

	Features	Version	Code			Technical Drawing
Cabinet 60	AISI 304 brushed dimensions: **554x454** 1 bowl: **503x400** cut-out: see page 251 drain: 3½"	FT FT	**1116 061 dx** **1116 062 sx**			External dimensions refer to Flush-mount version

Picture shows dx version



Accessories: L4 N2 N3 O2 P2 S T2
Automatic waste fitting: PR PQ PC (page 107)

Packing: 630x530x280 mm 6,6 kg

	Features	Version	Code			Technical Drawing
Cabinet 45	AISI 304 brushed dimensions: **454x454** 1 bowl: **400x400** cut-out: see page 251 drain: 3½"	FT FT	**1114 061 dx** **1114 062 sx**			External dimensions refer to Flush-mount version

Picture shows dx version



Accessories: L4 N2 N3 O2 P2 S T2
Automatic waste fitting: PR PQ PC (page 107)

Packing: 550x540x280 mm 5,8 kg

	Features	Version	Code			Technical Drawing
Cabinet 40	AISI 304 brushed dimensions: **394x454** 1 bowl: **340x400** cut-out: see page 251 drain: 3½"	FT FT	**1117 061 dx** **1117 062 sx**			External dimensions refer to Flush-mount version

Picture shows dx version



Accessories: L4 N2 N3 O2 P2 R T2
Automatic waste fitting: PR PQ PC (page 107)

Packing: 530x470x280 mm 5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.
Per versione dx/sx si intende vasca con scarico a destra/sinistra

Accessories

L5 R pages 34-35

A
Chopping board
34x40
8647 000



L4
Glass chopping board
23x41 cm
8631 300

G
Chopping board
40x40
8646 000

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

Q
White colander
17x32 cm
8151 100



S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T2 **
St. steel dishes holder
21,4x37,9 cm
8100 303

β1
St. steel dishes holder 25x43 cm
8100 301

*To use only with L3 chopping board **To use only with N3 chopping board

FM

A new range of sinks of pure and essential design. The great skill of Foster in stainless steel processing allows to combine both tight radius and deep bowls, typical of the best welded sinks, and the sturdyness of the seamless solutions.

	Features	Version	Code	Technical Drawing
Cabinet 90 NEW *Picture shows sx version* Accessories: B L4 M N2 R β1 Automatic waste fitting: PR PQ PC (page 107)	AISI 304 brushed dimensions: **1160x500** 2 bowls: **362,5x400** cut-out: 1140x480 drain: 3½"	STD	**1972 061 dx** **1972 062 sx**	 Second tap hole available Packing: 1180x510x190 mm 7 kg
	AISI 304 **microfoster** dimensions: **1160x500** 2 bowls: **362,5x400** cut-out: 1140x480 drain: 3½"	STD microfoster	**1972 461 dx** **1972 462 sx**	
	AISI 304 **design** dimensions: **1160x500** 2 bowls: **362,5x400** cut-out: 1140x480 drain: 3½"	STD design	**1972 761 dx** **1972 762 sx**	
Cabinet 60/(80)^{T} (ref. page 37) NEW *Picture shows sx version* Accessories: B M N2 Q R β1 Automatic waste fitting: PR PQ PC (page 107)	AISI 304 brushed dimensions: **970x500** 2b: **362,5x400+150x300** cut-out: 950x480 drain: 3½"	STD	**1973 061 dx** **1973 062 sx**	 Second and third tap hole available Packing: 1180x520x190 mm 6,9 kg
	AISI 304 **microfoster** dimensions: **970x500** 2b: **362,5x400+150x300** cut-out: 950x480 drain: 3½"	STD microfoster	**1973 461 dx** **1973 462 sx**	
	AISI 304 **design** dimensions: **970x500** 2b: **362,5x400+150x300** cut-out: 950x480 drain: 3½"	STD design	**1973 761 dx** **1973 762 sx**	
Cabinet 90 NEW **Availability: September 2012** Accessories: B L4 M N2 R β1	AISI 304 brushed dimensions: **860x500** 2 bowls: **362,5x400** cut-out: 840x480 drain: 3½"	STD	**1974 060**	 Packing: 900x520x190 mm 6 kg
	AISI 304 **microfoster** dimensions: **860x500** 2 bowls: **362,5x400** cut-out: 840x480 drain: 3½"	STD microfoster	**1974 460**	
	AISI 304 **design** dimensions: **860x500** 2 bowls: **362,5x400** cut-out: 840x480 drain: 3½"	STD design	**1974 760**	

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

FM

	Features	Version	Code			Technical Drawing
Cabinet 45	NEW AISI 304 brushed dimensions: **860x500** 1 bowl: **362,5x400** cut-out: 840x480 drain: 3½"	STD	**1971 061 dx** **1971 062 sx**			
	AISI 304 **microfoster** dimensions: **860x500** 1 bowl: **362,5x400** cut-out: 840x480 drain: 3½"	STD microfoster	**1971 461 dx** **1971 462 sx**			
	AISI 304 **design** dimensions: **860x500** 1 bowl: **362,5x400** cut-out: 840x480 drain: 3½"	STD design	**1971 761 dx** **1971 762 sx**			

Picture shows sx version



Second tap hole available

Packing: 900x520x190 mm 5,1 kg

Accessories: B L4 M N2 R β1

Automatic waste fitting: PR PQ PC (page 107)

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

19 cm deep and capacious bowls, inserted in a generous safe-drop profile, for this sturdy and practical sink.

Accessories

B
Chopping board
36x40
8654 000

L4
Glass chopping board
23x41 cm
8631 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

Q
White colander
17x32 cm
8151 100



R
St. steel basket
34x40 cm
8611 000

β1
St. steel dishes holder 25x43 cm
8100 301

KS

KS sinks feature clear-cut, distinctive designs: a handy raised-edge drainer and large, spacious basins edged with an inclined drip-guard that prevents over-spill.

	Features	Version	Code			Technical Drawing
Cabinet 80	AISI 304 brushed dimensions: **1160x500** 2 bowls: **340x400** cut-out: 1140x480 drain: 3½"	STD	**2112 061 dx** **2112 062 sx**			
	AISI 304 **microfoster** dimensions: **1160x500** 2 bowls: **340x400** cut-out: 1140x480 drain: 3½"	STD microfoster	**2112 461 dx** **2112 462 sx**			
Cabinet 100	AISI 304 brushed dimensions: **970x500** 2 bowls: **340x400** 1 bowl: **150x300** cut-out: 950x480 drain: 3½"	STD	**2173 060**			
	AISI 304 **microfoster** dimensions: **970x500** 2 bowls: **340x400** 1 bowl: **150x300** cut-out: 950x480 drain: 3½"	STD microfoster	**2173 460**			
Cabinet 60/(80)^{T} (ref. page 37)	AISI 304 brushed dimensions: **970x500** 2b: **340x400+150x300** cut-out: 950x480 drain: 3½"	STD	**2163 061 dx** **2163 062 sx**			
	AISI 304 **microfoster** dimensions: **970x500** 2b: **340x400+150x300** cut-out: 950x480 drain: 3½"	STD microfoster	**2163 461 dx** **2163 462 sx**			

Picture shows dx version

Accessories:
A L4 L5 M N2 N3 O2 P2 R T2 β1



Packing: 1200x520x250 mm 8,2 kg

Accessories:
A L4 L5 M N2 N3 O2 P2 Q R T2 β1



Packing: 1070x570x250 mm 10,2 kg

Picture shows dx version

Accessories:
A L4 L5 M N2 N3 O2 P2 Q R T2 β1

Automatic waste fitting: PR PQ PC (page 107)



Second and third tap hole available

Packing: 1070x570x250 mm 8 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KS

	Features	Version	Code			Technical Drawing
Cabinet 80/(90)[T] (ref. page 37)	AISI 304 brushed dimensions: **860x500** 2 bowls: **340x400** cut-out: 840x480 drain: 3½"	STD	**2182 060**			
	AISI 304 **microfoster** dimensions: **860x500** 2 bowls: **340x400** cut-out: 840x480 drain: 3½"	STD microfoster	**2182 460**			



Accessories:
A L4 L5 M N2 N3 O2 P2 R T2 β1

Packing: 940x560x250 mm 7,4 kg

Cabinet 60

NEW

AISI 304 brushed
dimensions: **860x500**
1 bowl: **450x400**
cut-out: 840x480
drain: 3½"

STD

2180 061 dx
2180 062 sx

Picture shows dx version



Accessories:
A L4 L5 M N2 N3 O2 P2 R T2 β1

Packing: 940x560x250 mm 7,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

A large bowl (45x40 cm) with drainer. An ideal solution for a small space, practical for washing of big dishes.
This solution is already offered in many Foster series and is now available also for KE and KS sinks.

Accessories

A
Chopping board
34x40
8647 000

L4
Glass chopping board
23x41 cm
8631 300



L5
Glass chopping board
29x54 cm
8633 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

Q
White colander
17x32 cm
8151 100



R
St. steel basket
34x40 cm
8611 000

T2 **
St. steel dishes holder
21,4x37,9 cm
8100 303

β1
St. steel dishes holder 25x43 cm
8100 301

**To use only with N3 chopping board

KS

	Features	Version	Code	Technical Drawing
Cabinet 45	AISI 304 brushed dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 drain: 3½"	STD	**2181 061 dx** **2181 062 sx**	
	AISI 304 **microfoster** dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 drain: 3½"	STD microfoster	**2181 461 dx** **2181 462 sx**	

Picture shows dx version

Accessories:

A L4 L5 M N2 N3 O2 P2 R T2 β1

Automatic waste fitting: PR PQ PC (page 107)



Second tap hole available

Packing: 940x560x250 mm 6,5 kg

Cabinet 30	NEW AISI 304 brushed dimensions: **290x500** 1 bowl: **180x340** cut-out: 270x480 drain: 3½"	STD	**2129 060**	



Packing: 460x460x250 mm 2,8 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

SinK code 2129 060 completes KS Domino cooking solutions (see page 164)

Accessories

A
Chopping board
34x40
8647 000

L4
Glass chopping board
23x41 cm
8631 300

L5
Glass chopping board
29x54 cm
8633 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

Q
White colander
17x32 cm
8151 100



R
St. steel basket
34x40 cm
8611 000

T2 **
St. steel dishes holder
21,4x37,9 cm
8100 303

β1
St. steel dishes holder 25x43 cm
8100 301

**To use only with N3 chopping board

Big Bowl

Foster's strength: the construction of a "single moulded" sink that competes with the design, quality and sturdiness of welded products. The choice is up to you.

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **1160x500** 2b: **450x400+275x400** cut-out: 1140x480 drain: 3½"	STD	**1512 201 dx** **1512 202 sx**	External dimensions refer to standard version
	AISI 304 **microfoster** dimensions: **1160x500** 2b: **450x400+275x400** cut-out: 1140x480 drain: 3½"	STD microfoster	**1512 401 dx** **1512 402 sx**	
	AISI 304 brushed dimensions: **1173x513** 2b: **450x400+275x400** cut-out: 1140x480 drain: 3½"	SF	**1076 061 dx** **1076 062 sx**	Second and third tap hole available Packing: 1240x560x250 mm 7,6 kg
Cabinet 60	AISI 304 brushed dimensions: **1160x500** 1 bowl: **450x400** cut-out: 1140x480 drain: 3½" the overflow is outside the bowl	STD	**1513 201 dx** **1513 202 sx**	Second tap hole available Packing: 1240x570x260 mm 7,2 kg
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2b: **450x400+275x400** cut-out: 840x480 drain: 3½"	STD	**1562 001 dx** **1562 002 sx**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **873x513** 2b: **450x400+275x400** cut-out: 840x480 drain: 3½"	SF	**1072 061 dx** **1072 062 sx**	Second tap hole available Packing: 940x570x260 mm 6,8 kg

Picture shows dx version

Accessories: C E L4 M N2 S β β1
Automatic waste fitting: PR PQ PC (page 107)

Picture shows dx version

Accessories: E L4 M N2 S β1
Automatic waste fitting: PR PQ PC (page 107)

Picture shows sx version

Accessories: C E L4 M N2 S β β1
Automatic waste fitting: PR PQ PC (page 107)

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Big Bowl

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed dimensions: **860x500** 1 bowl: **450x400** cut-out: 840x480 drain: 3½"	STD	**1561 201 dx** **1561 202 sx**	External dimensions refer to standard version
	AISI 304 **microfoster** dimensions: **860x500** 1 bowl: **450x400** cut-out: 840x480 drain: 3½"	STD microfoster	**1561 401 dx** **1561 402 sx**	
	AISI 304 brushed dimensions: **873x513** 1 bowl: **450x400** cut-out: 840x480 drain: 3½"	SF	**1071 061 dx** **1071 062 sx**	Second tap hole available Packing: 940x570x260 mm 6 kg

Picture shows dx version

Accessories: E L4 M N2 S β1
Automatic waste fitting: PR PQ PC (page 107)



Cabinet 60	AISI 304 brushed dimensions: **860x500** 2b: **275x400+150x300** cut-out: 840x480 drain: 3½"	STD	**1361 261 dx** **1361 262 sx**	Second tap hole available Packing: 940x570x260 mm 6 kg

Picture shows dx version

Accessories: C Q β β1
Automatic waste fitting: PR PQ PC (page 107)



Cabinet 60	AISI 304 brushed dimensions: **590x500** 1 bowl: **450x400** cut-out: 570x480 drain: 3½"	STD	**1511 001 dx** **1511 002 sx**	Second tap hole available Packing: 610x530x200 mm 4,6 kg

Picture shows sx version

Accessories: E L4 N2 S β1
Automatic waste fitting: PR PQ PC (page 107)



Cabinet 60	AISI 304 brushed dimensions: **590x500** 2b: **275x400+150x300** cut-out: 570x480 drain: 3½"	STD	**1510 061 dx** **1510 062 sx**	Packing: 650x580x270 mm 4 kg

Picture shows sx version

Accessories: C Q β β1



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Big Bowl Soft

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2b: **450x400+275x400** cut-out: see page 249 drain: 3½"	STD	**1662 001 dx** **1662 002 sx**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **873x513** 2b: **450x400+275x400** cut-out: see page 251 drain: 3½"	FT FT	**1062 061 dx** **1062 062 sx**	
Cabinet 60	AISI 304 brushed dimensions: **860x500** 1 bowl: **450x400** cut-out: see page 249 drain: 3½"	STD	**1661 201 dx** **1661 202 sx**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **873x513** 1 bowl: **450x400** cut-out: see page 251 drain: 3½"	FT FT	**1061 261 dx** **1061 262 sx**	
Cabinet 60	AISI 304 brushed dimensions: **550x500** 1 bowl: **450x400** cut-out: see page 249 drain: 3½"	STD	**1611 060**	External dimensions refer to standard version
	AISI 304 brushed dimensions: **563x513** 1 bowl: **450x400** cut-out: see page 251 drain: 3½"	FT FT	**1115 060**	

Picture shows dx version

Accessories: C E L4 N2 S β β1
For standard version only: M
Automatic waste fitting: PR PQ PC (page 107)

Picture shows dx version

Accessories: E L4 N2 S β1
For standard version only: M
Automatic waste fitting: PR PQ PC (page 107)

Accessories: E L4 N2 S β1



Second tap hole available

Packing: 940x570x260 mm 8 kg



Second tap hole available

Packing: 940x570x260 mm 7,6 kg



Packing: 650x580x270 mm 5,2 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

C
Chopping board
29x40
8653 000

E
Chopping board
5x40
8655 000

L4
Glass chopping board
23x41 cm
8631 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

Q
White colander
17x32 cm
8151 100

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

β
St. steel dishes holder 28x40 cm
8100 280

β1
St. steel dishes holder 25x43 cm
8100 301

Uragano

A name that evokes the large amount of water that this product is capable of housing. The ideal choice for those who prefer freedom of movement. Uragano is almost a metre large.

Magnum
(8484 000 - pag. 118)

Geo
(8454 000 - pag. 121)

suggested mixer taps

	Features	Version	Code		Technical Drawing
Cabinet 100	AISI 304 brushed dimensions: **970x500** 1 bowl: **910x440** cut-out: 950x480 drain: 3½"	STD	**1555 600** **1555 609**	accessory kit included	External dimensions refer to standard version
	AISI 304 **microfoster** dimensions: **970x500** 1 bowl: **910x440** cut-out: 950x480 drain: 3½"	STD microfoster	**1555 460** **1555 469**	accessory kit included	
	AISI 304 brushed dimensions: **983x513** 1 bowl: **910x440** cut-out: 950x480 drain: 3½"	SF	**1054 600** **1054 609**	accessory kit included	
Accessories: I L2 O Q T U V Z					Packing: 1070x570x260 mm 9,2 kg
Cabinet 100	AISI 304 brushed dimensions: **983x513** 1 bowl: **910x440** cut-out: see page 251 drain: 3½"	FT FT	**1055 600** **1055 609**	accessory kit included	
Accessories: I L2 O Q T U V Z					Packing: 1070x570x260 mm 9,2 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Uragano accessory kit

I
Chopping board
37x46 cm
8659 112

V
St. steel bowl holder 37x45 cm
8100 112

O
White bowl
36x30 cm
8152 100

Q
White colander
17x32 cm
8151 100

NEW

Discover the great functionality of the big Uragano bowl. Now available also in the accessorized version, including the practical kit described aside.
The full range of matching accessories is presented in the following pages.

Tornado

A greater feeling of space with 80 cm. This is the essential quality of a Tornado sink, thanks to the shape and capacity of its bowl.

Lorenzo
(8466 000 - pag. 126)

Gamma
(8483 000 - pag. 127)

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 80	AISI 304 brushed dimensions: **790x500** 1 bowl: **730x440** cut-out: 770x480 drain: **automatic 3½"**	STD	**1579 660**	External dimensions refer to standard version  Third tap hole available
	AISI 304 **microfoster** dimensions: **790x500** 1 bowl: **730x440** cut-out: 770x480 drain: **automatic 3½"**	STD microfoster	**1579 460**	
	AISI 304 brushed dimensions: **803x513** 1 bowl: **730x440** cut-out: 770x480 drain: **automatic 3½"**	SF	**1078 660**	
Accessories: H I L2 O Q T U Z				Packing: 940x570x260 mm 7,8 kg
Cabinet 80	AISI 304 brushed dimensions: **790x500** 1 bowl: **730x440** cut-out: see page 249 drain: **automatic 3½"**	STD	**1679 660**	External dimensions refer to standard version  Third tap hole available
	AISI 304 brushed dimensions: **803x513** 1 bowl: **730x440** cut-out: see page 251 drain: **automatic 3½"**	FT FT	**1079 660**	
Accessories: H I L2 O Q T U Z				Packing: 940x570x260 mm 7,8 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The flush-mount Tornado sink is perfectly combinable with the flush-mount hobs versions Veronika and Magic (see image aside).

7" Uragano and Tornado

	Features	Version	Code			Technical Drawing

Cabinet 100

AISI 304 brushed
dimensions: **970x500**
1 bowl: **910x440**
cut-out: 950x480
drain hole: **7”**

STD **1555 070**



Accessories: I L2 O Q T U V Z

Packing: 1000x530x230 mm 8,8 kg

Cabinet 80

AISI 304 brushed
dimensions: **790x500**
1 bowl: **730x440**
cut-out: 770x480
drain hole: **7”**

STD **1579 670**



Accessories: H I L2 O Q T U Z

Packing: 820x520x230 mm 7,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.



The large bowls of Uragano and Tornado are particularly suited to the drain with 7" hole: an original solution, very practical thanks to to the large stainless steel collecting basket.

Accessories

H
Chopping board
37x30
8659 111

I
Chopping board
37x46 cm
8659 112

L2
Twin chopping board
37x46 cm
8644 003

O **
White bowl
36x30 cm
8152 100

Q
White colander
17x32 cm
8151 100

T*
St. steel dishes holder 25x35 cm
8100 154

U
St. steel dishes holder 25x45 cm
8100 111

V
St.steel bowl holder 37x45 cm
8100 112

Z*
St. steel colander
25x36 cm
8154 000

*to use only with L2 chopping board **to use only with V bowl holder

Indispensable accessories

Two bowls are not strictly necessary for simultaneously washing, preparing food and storing dishes. Uragano and Tornado, with their huge single bowl and a stunning set of accessories, become practical and complete functional centres.

Preparing, washing dishes and utensils. The extensive set of accessories that come with Tornado and Uragano, let you turn the sink into a true multi-purpose center.

Preparation
The functionality of the Uragano sink is marked by the simultaneous use of two chopping boards. The picture shows the use of accessories L2 and Z.

Food washing
Washing fruit to prepare a fruit salad while drying a glass at the same time. The picture shows the use of accessories L2, Z, V, O and Q.

Washing dishes
Applying soap and drying in the same space. The picture shows the use of accessories L2, T, V and O.

Alien 2

The Alien series bowls are now 1 cm deeper. A fine example of the quality of the steel and high standard of the Foster moulding technology.

S1000 - Z85
(8442 500 - pag. 131)

GF
(8452 000 - pag. 129)

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 drain: 3½"	STD	**1912 061 dx** **1912 062 sx**	
	AISI 304 **microfoster** dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 drain: 3½"	STD microfoster	**1912 461 dx** **1912 462 sx**	
	AISI 304 **design** dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 drain: 3½"	STD design	**1912 761 dx** **1912 762 sx**	

Picture shows dx version

Accessories: B L4 M N2 R β1
Automatic waste fitting: PR PQ PC (page 107)

Second tap hole available

Packing: 1180x510x190 mm 7 kg

	Features	Version	Code	Technical Drawing
Cabinet 60/(80)^{T} (ref. page 37)	AISI 304 brushed dimensions: **970x500** 2b: **360x400+150x300** cut-out: 950x480 drain: 3½"	STD	**1963 061 dx** **1963 062 sx**	
	AISI 304 **microfoster** dimensions: **970x500** 2b: **360x400+150x300** cut-out: 950x480 drain: 3½"	STD microfoster	**1963 461 dx** **1963 462 sx**	
	AISI 304 **design** dimensions: **970x500** 2b: **360x400+150x300** cut-out: 950x480 drain: 3½"	STD design	**1963 761 dx** **1963 762 sx**	

Picture shows dx version

Accessories: B M N2 Q R β1
Automatic waste fitting: PR PQ PC (page 107)

Second and third tap hole available

Packing: 1180x520x190 mm 6,9 kg

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 drain: 3½"	STD	**1962 060**	
	AISI 304 **microfoster** dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 drain: 3½"	STD microfoster	**1962 460**	
	AISI 304 **design** dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 drain: 3½"	STD design	**1962 760**	

Accessories: B L4 M N2 R β1

Packing: 900x520x190 mm 6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Alien 2

Cabinet 45

Picture shows sx version

Accessories: B L4 M N2 R β1

Automatic waste fitting: PR PQ PC (page 107)

Features	Version	Code	Technical Drawing
AISI 304 brushed dimensions: **860x500** 1 bowl: **360x400** cut-out: 840x480 drain: 3½"	STD	**1961 061 dx** **1961 062 sx**	
AISI 304 **microfoster** dimensions: **860x500** 1 bowl: **360x400** cut-out: 840x480 drain: 3½"	STD microfoster	**1961 461 dx** **1961 462 sx**	
AISI 304 **design** dimensions: **860x500** 1 bowl: **360x400** cut-out: 840x480 drain: 3½"	STD design	**1961 761 dx** **1961 762 sx**	



Second tap hole available

Packing: 900x520x190 mm 5,1 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

All Alien 2 series models are available with three different finishes: Foster brushed, Design and Microfoster anti-scratch.

Accessories

B
Chopping board
36x40
8654 000

L4
Glass chopping board
23x41 cm
8631 300

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001

Q
White colander
17x32 cm
8151 100



R
St. steel basket
34x40 cm
8611 000

β1
St. steel dishes holder 25x43 cm
8100 301

Triplo Invaso

Professional in every aspect: dimensions as well as practicality. An absolutely new product featuring the Q4 edge and reduced 52 cm depth, to be combined with the new cooker hobs.

Magnum
(8484 000 - pag. 118)

Arsenio
(8471 000 - pag. 123)

suggested mixer taps

	Features	Version	Code			Technical Drawing

Cabinet 90

Picture shows sx version

54

AISI 304 brushed
dimensions: **873x553**
2b: **500x400+233x335**
cut-out: 840x520
drain: **automatic 3½"**

SF

1489 061 dx
1489 062 sx

AISI 304 brushed
dimensions: **873x553**
2b: **500x400+233x335**
cut-out: see page 251
drain: **automatic 3½"**

FT
FT

1488 061 dx
1488 062 sx

External dimensions refer to flat-edge version



Accessories: L4 M2 M3 N2 O2 S U2 β1 Z

Packing: 1000x610x260 mm 9,6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Triplo Invaso is a highly practical sink. The accessories slide along independent guides and can be overlapped or surmounted by an Arsenio mixer.

Triplo Invaso

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **860x520** 2b: **500x400+233x335** cut-out: 840x500 drain: **automatic 3½"**	Q4	**1485 061 dx** **1485 062 sx**	





Picture shows sx version

Accessories: L4 M2 M3 N2 O2 S U2 β1 Z

Packing: 1000x610x260 mm 9,6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.



Triplo Invaso sink in **Q4 Version** is 52 cm deep, for a perfect matching with all S4000 gas cooker hobs.

Accessories

L4
Glass chopping board
23x41 cm
8631 300

M2
Chopping board
28x48
8643 115

M3
Sliding chopping board 28x48
8643 116

N2
HDPE chopping board
27,2x42,5 cm
8657 001

O2
White plastic bowl
27,2x41,4 cm
8153 100

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

U2
St. steel dishes holder 23x47
8100 115

β1
St. steel dishes holder 25x43 cm
8100 301

Z
St. steel colander
25x36 cm
8154 000

F2000

New ranges that bestow a highly personal touch on the kitchen environment.

F2000 - Alto
(8458 000 - pag. 128)

F2000 - Basso
(8459 000 - pag. 128)

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 80	AISI 304 brushed dimensions: **1160x500** 2b: **345x400** cut-out: 1140x480 drain: 3½"	STD	**2012 061 dx** **2012 062 sx**	
	AISI 304 **microfoster** dimensions: **1160x500** 2b: **345x400** cut-out: 1140x480 drain: 3½"	STD microfoster	**2012 461 dx** **2012 462 sx**	

Picture shows sx version



Second tap hole available

Accessories: B3 M N2 R

Automatic waste fitting: PR PQ PC (page 107)

Packing: 1180x520x190 mm 6,7 kg

Cabinet 80	AISI 304 brushed dimensions: **860x500** 2 bowls: **345x400** cut-out: 840x480 drain: 3½"	STD	**2062 060**	
	AISI 304 **microfoster** dimensions: **860x500** 2 bowls: **345x400** cut-out: 840x480 drain: 3½"	STD microfoster	**2062 460**	



Accessories: B3 M N2 R

Packing: 890x520x190 mm 5,7 kg

Cabinet 45	AISI 304 brushed dimensions: **860x500** 1 bowl: **360x400** cut-out: 840x480 drain: 3½"	STD	**2061 061 dx** **2061 062 sx**	
	AISI 304 **microfoster** dimensions: **860x500** 1 bowl: **360x400** cut-out: 840x480 drain: 3½"	STD microfoster	**2061 461 dx** **2061 462 sx**	

Picture shows sx version



Accessories: B2 M N2 R

Packing: 890x520x190 mm 4,9 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

F2000

Cabinet 80

Features	Version	Code
AISI 304 brushed dimensions: **790x500** 2 bowls: **345x400** cut-out: 770x480 drain: 3½”	STD	**2072 060**
AISI 304 **microfoster** dimensions: **790x500** 2 bowls: **345x400** cut-out: 770x480 drain: 3½”	STD microfoster	**2072 460**

Technical Drawing



Accessories: B3 M N2 R

Packing: 890x520x190 mm 5,6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The F2000 series, with its original double recess and unusual interplay of lines created by the draining board, expresses a young, fresh character.
All 2-bowls versions match with **80 cm cabinets**.

Accessories

B2
Chopping board
36x40
8642 001

B3
Chopping board
34,5x40
8642 002

N2
HDPE chopping board
27,2x42,5 cm
8657 001

M
Sliding chopping board 30x54
8643 000



R
St. steel basket
34x40 cm
8611 000

Trapezio

For corners but not only. A modern design that enhances the work area. The draining board positioned on both sides expands the possible functions.

suggested mixer taps

Ellis
(8463 000 - pag. 124)

Arsenio
(8471 000 - pag. 123)

	Features	Version	Code			Technical Drawing
Cabinet 60	AISI 304 brushed dimensions: **1006x552** 2v:**184x320+341,5x443,7** cut-out: see page 249 drain: **automatic 3½"**	SF	**3311 061 dx** **3311 062 sx**			

Picture shows dx version



Accessories: R Δ Σ Ξ

Packing: 1060x620x290 mm 7,5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Trapezio is a chameleon-like sink thanks to the precious Twin chopping board (accessory) that amplifies the support surfaces.

Accessories



R
St. steel basket
34x40 cm
8611 000

Ξ
St. steel
dishes holder
8100 040

Δ
St. steel colander
8154 040

Σ
Padouk wood Twin
chopping board
8644 040

Diamant

A new proposal with an original design which can be fitted to angle, half angle or linear solutions. Available in two versions: with large+small bowl, or with a large 50 cm single bowl.

F2000 - Basso
(8459 000 - pag. 128)

Play
(8487 000 - pag. 119)

suggested mixer taps

	Features	Version	Code			Technical Drawing

Cabinet 60

AISI 304 brushed
dimensions: **988x508**
2b: **340x400+150x300**
cut-out: see page 249
drain: **automatic 3½"**

7mm

3312 062



Accessories: A L4 N2 O2 Q R β1

Packing: 1060x620x290 mm 7,5 kg

Cabinet 80

AISI 304 brushed
dimensions: **988x508**
1 bowl: **504x400**
cut-out: see page 249
drain: 3½"

7mm

3321 060



Accessories: G L4 N2 O2 S

Packing: 1060x620x290 mm 7,5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

R page 35

A
Chopping board
34x40
8647 000

G
Chopping board
40x40
8646 000

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

O2
White bowl
41,4x27,2 cm
8153 100

Q
White colander
17x32 cm
8151 100

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

β1
St. steel dishes holder 25x43 cm
8100 301

Angolare

New bowls with tight-radius curves, redesigned draining board, the possibility of having both sinks on one side or with the draining board in the middle.
The Foster offer for corner sinks has never been this wide.

suggested mixer taps

	Features	Version	Code			Technical Drawing
Cabinet 90x90	AISI 304 brushed dimensions: **see drawing** 2 bowls: **340x400** cut-out: see page 249 drain: 3½"	STD	**3302 060**			



Accessories: A N2 O2 R β1 W

Packing: 890x890x240 mm 10 kg

	Features	Version	Code			Technical Drawing
Cabinet 90x90	AISI 304 brushed dimensions: **see drawing** 2 bowls: **340x400** cut-out: see page 249 drain: 3½"	STD	**3307 060**			



Accessories: A N2 O2 R β1 W

Packing: 890x890x240 mm 10 kg

	Features	Version	Code			Technical Drawing
Cabinet 90 (linear)	AISI 304 brushed dimensions: **see drawing** 2b: **400x400+180x340** cut-out: see page 249 drain: 3½"	STD	**3306 060**			



Accessories: L4 N2 O2 S T1

Automatic waste fitting: PR PQ PC (page 107)

Second tap hole available

Packing: 890x890x240 mm 9,5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Angolare

	Features	Version	Code			Technical Drawing
Cabinet 90 (lineare)	AISI 304 brushed dimensions: **see drawing** 2b: **340x400+233x335** cut-out: see page 249 drain: 3½"	STD	**3308 060**			



Accessories: A N2 O2 R T β1 Z

Automatic waste fitting: PR PQ PC (page 107)

Second tap hole available

Packing: 890x890x240 mm 9,5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Large accessories choice matching to any kind of bowl.

Accessories

A
Chopping board
34x40
8647 000

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

O2
White plastic bowl
27,2x41,4 cm
8153 100



R
St. steel basket
34x40 cm
8611 000

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T
St. steel dishes holder 25x35 cm
8100 154

T1
St. steel dishes holder 25x42,5 cm
8100 201

β1
St. steel dishes holder 25x43 cm
8100 301

Z
St. steel colander
25x36 cm
8154 000



W
St. steel dishes holder
8100 331

Rondò

A brilliant idea that has become an icon of “space-saving” solutions.

The Rondò project received the Mention of Honour at the prestigious ADI “Golden Compass” international design competition.

Flexo
(8456 000 - pag. 117)

Peppone
(8465 000 - pag. 126)

suggested mixer taps

Combination with Rondò hob at page 176

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed dimensions: **Ø 520** 1 bowl: **Ø 460** cut-out: Ø 505 drain: 3½”	STD	**1052 060**	
	AISI 304 **microfoster** dimensions: **Ø 520** 1 bowl: **Ø 460** cut-out: Ø 505 drain: 3½”	STD microfoster	**1052 460**	
	AISI 304 **design** dimensions: **Ø 520** 1 bowl: **Ø 460** cut-out: Ø 505 drain: 3½”	STD design	**1052 760**	

Accessories: K X Y δ

Packing: 530x530x250 mm 4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Rondò is unique also in its accessories. The special stainless steel basket and colanders are versatile, yet elegant furnishing complements.

Accessories

K
Iroko Chopping board
8648 000

X
St. steel basket
8610 000

Y
St. steel colander
8153 000

δ
St. steel colander
8153 001

Circolari

The round solutions offer 5 models that differ for the size of the waste – either 3.5" or 2" – and for the installation system: standard-edge, flush-mount or undermount.

	Features	Version	Code	Technical Drawing
Cabinet 45	AISI 304 brushed dimensions: **Ø 440** 1 bowl: **Ø 380** cut-out: Ø 420 **drain: 2"**	STD	**1010 000**	



Accessories: J α

Packing: 470x470x220 mm 2,6 kg

	Features	Version	Code	Technical Drawing
Cabinet 45	AISI 304 brushed dimensions: **Ø 440** 1 bowl: **Ø 380** cut-out: Ø 420 **drain: 3½"**	STD	**1010 060**	
	AISI 304 brushed dimensions: **Ø 420** 1 bowl: **Ø 380** cut-out: see page 251 **drain: 3½"**	FT FT	**1110 060**	



Standard Flush-mount

Accessories: J α

Packing: 470x470x220 mm 3,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

J
Chopping board
Ø40 cm
8651 000

α
White basket
8601 000

S1000

AISI 304 (18/10) stainless steel as for all the other sinks, the availability of different finishes, functional accessories in addition to the Foster guarantee.

Lorenzo
(8466 000 - pag. 126)

S1000 - RO
(8443 500 - pag. 133)

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 **drain: 3½"**	STD	**1812 161 dx** **1812 162 sx**	
	AISI 304 **microfoster** dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 **drain: 3½"**	STD microfoster	**1812 461 dx** **1812 462 sx**	
	AISI 304 NO brushed dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 **drain: 3½"**	STD NO BRUSHED	**1812 561 dx** **1812 562 sx**	

Picture shows sx version

Accessories: B2 M N2 R β1

Packing: 1190x520x190 mm 7 kg

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 **drain: 2"**	STD	**1812 101 dx** **1812 102 sx**	
	AISI 304 NO brushed dimensions: **1160x500** 2 bowls: **360x400** cut-out: 1140x480 **drain: 2"**	STD NO BRUSHED	**1812 501 dx** **1812 502 sx**	

Picture shows sx version

Accessories: B2 M N2 R β1

Packing: 1190x520x190 mm 7 kg

	Features	Version	Code	Technical Drawing
Cabinet 60/(80)^{T} (ref. page 37)	AISI 304 brushed dimensions: **970x500** 2b: **340x400+170x300** cut-out: 950x480 **drain: 3½"**	STD	**1197 161 dx** **1197 162 sx**	
	AISI 304 **microfoster** dimensions: **970x500** 2b: **340x400+170x300** cut-out: 950x480 **drain: 3½"**	STD microfoster	**1197 461 dx** **1197 462 sx**	
	AISI 304 NO brushed dimensions: **970x500** 2b: **340x400+170x300** cut-out: 950x480 **drain: 3½"**	STD NO BRUSHED	**1197 561 dx** **1197 562 sx**	

Picture shows sx version

Accessories: B2 M N2 R β1

Automatic waste fitting: PR PQ PC (page 107)

Second tap hole available

Packing: 1000x520x190 mm 6,8 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S1000

	Features	Version	Code			Technical Drawing
Cabinet 45	AISI 304 brushed dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 **drain: 3½"**	STD	**1186 161 dx** **1186 162 sx**			
 Picture shows sx version	AISI 304 **microfoster** dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 **drain: 3½"**	STD microfoster	**1186 461 dx** **1186 462 sx**			
Accessories: M N2 R β1	AISI 304 NO brushed dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 **drain: 3½"**	STD NO BRUSHED	**1186 561 dx** **1186 562 sx**			Packing: 880x510x180 mm 4,8 kg
Cabinet 45	AISI 304 brushed dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 **drain: 2"**	STD	**1186 101 dx** **1186 102 sx**			
 Picture shows sx version	AISI 304 NO brushed dimensions: **860x500** 1 bowl: **340x400** cut-out: 840x480 **drain: 2"**	STD NO BRUSHED	**1186 501 dx** **1186 502 sx**			
Accessories: M N2 R β1						Packing: 880x510x180 mm 4,8 kg
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 **drain: 3½"**	STD	**1886 160**			
	AISI 304 brushed dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 **drain: 3½"**	STD microfoster	**1886 460**			
Accessories: B2 M N2 R β1	AISI 304 NO brushed dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 **drain: 3½"**	STD NO BRUSHED	**1886 560**			Packing: 880x510x180 mm 6 kg
Cabinet 90	AISI 304 brushed dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 **drain: 2"**	STD	**1886 100**			
	AISI 304 NO brushed dimensions: **860x500** 2 bowls: **360x400** cut-out: 840x480 **drain: 2"**	STD NO BRUSHED	**1886 500**			
Accessories: B2 M N2 R β1						Packing: 880x510x180 mm 6 kg
Cabinet 80	AISI 304 brushed dimensions: **790x500** 2 bowls: **360x400** cut-out: 770x480 **drain: 2"**	STD	**1279 000**			
	AISI 304 brushed dimensions: **790x500** 2 bowls: **360x400** cut-out: 770x480 **drain: 3½"**	STD	**1279 060**			
Accessories: M N2 R β1	AISI 304 NO brushed dimensions: **790x500** 2 bowls: **360x400** cut-out: 770x480	STD NO BRUSHED	**1279 500** **1279 560**	**drain: 2"** **drain: 3½"**		Packing: 880x510x180 mm 5,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S1000

	Features	Version	Code			Technical Drawing
Cabinet 45	AISI 304 brushed dimensions: **790x500** 1 bowl: **340x400** cut-out: 770x480 **drain: 2”**	STD	**1179 001 dx** **1179 002 sx**			
	AISI 304 brushed dimensions: **790x500** 1 bowl: **340x400** cut-out: 770x480 **drain: 3½”**	STD	**1179 061 dx** **1179 062 sx**			
	AISI 304 NO brushed dimensions: **790x500** 1 bowl: **340x400** cut-out: 770x480	STD	**1179 501 dx** **1179 502 sx**	**drain: 2”**		
		NO BRUSHED	**1179 561 dx** **1179 562 sx**	**drain: 3½”**		

Picture shows sx version

Accessories: M N2 R β1



Packing: 890x510x190 mm 4,7 kg

Cabinet 45

	AISI 304 brushed dimensions: **440x500** 1 bowl: **360x360** cut-out: 420x480 **drain: 2”**	STD	**1144 001 dx** **1144 002 sx**			
	AISI 304 brushed dimensions: **440x500** 1 bowl: **360x360** cut-out: 420x480 **drain: 3½”**	STD	**1144 061 dx** **1144 062 sx**			

Picture shows sx version

Version DX means right faucet hole, SX left faucet hole



Packing: 520x480x190 mm 3,8 kg

Cabinet 30

	AISI 304 brushed dimensions: **290x500** 1 bowl: **240x340** cut-out: 270x480 **drain: 2”**	STD	**1129 000**			



Packing: 520x480x190 mm 3,1 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

B2
Chopping board
36x40
8642 001

M
Sliding chopping board
30x54
8643 000

N2
HDPE chopping board
27,2x42,5 cm
8657 001



R
St. steel basket
34x40 cm
8611 000

β1
St. steel dishes holder 25x43 cm
8100 301

Undermount sinks

Stainless steel is always fashionable, and it blends perfectly in any worktop, be it granite, quartz or solid-surface. The large range of Foster undermount sinks, from those with “classical” design and wide radius to the minimalist ones with squared corners, makes it possible to choose according to everyone’s specific needs.

Quadra page 88

Quadra R10 page 91

KE page 93

S4000 page 97

S3000 page 99

Big Bowl page 101

Big Bowl Soft page 101

Triplo invaso page 102

Tornado page 103

Circolari page 103

Complements page 104

How to clean steel page 109

At the root of each project

Foster, ever sensitive to its customers' needs, aims at the maximum possible quality, coupled with wide choice of designs and sizes. This large range of undermount sinks is here displayed according to corner radius; from squared bowls minimalism to the perfectly rounded corners.
In the following table it is summarized according to "cabinets": the easiest way to choose the best product according to its own built-in solution.


ROUND SINK - radius **190** - p. 103
TORNADO SINK - radius **125** - p. 103
BIG BOWL SINK- radius **95/60** - p. 101
S3000 SINK - radius **60** - p. 99
TRIPLO INVASO - radius **50** - p. 102
S4000 SINK- radius **25** - p. 97
KE - radius **15** - p. 93
QUADRA R10 - radius **10** - p. 91
QUADRA SINK - radius **0** - p. 88

Notice for installation



Installation procedure with nut, bolt and bracket for bowls with folded edge.



Installation procedure with nut, bolt and bracket for bowls with flat edge.



Installation procedure with nut and bolt for bowls with edge provided with fixing holes (Quadra series).

All models are supplied with installation kit (nut, bolt and bracket). The alternative use of different screws or bolts is left to the discretion of the installer.

Worktop drilling

The drawing with instruction to drill the worktop properly is included in the packing.
The holes' dimension is to be considered merely as the manufacturer's suggestion. Small adjustments can be adopted on the basis of need or preference of the user, as per the attached schemes.
Notice:
the compatibility of the accessories is assured only if the manufacturer's drilling instructions are respected.



Foster offers its assistance for drilling the worktop properly with dwg drawings, now available for downloading on our website www.fosterspa.com on the product specifications page.

Cabinets
The cabinets' specifications shown for each model are referred only to the bowls' overall dimensions, and do not take into account the fixing systems. Different overall dimensions correspond to different installation methods. Moreover, these are negligible if kept within the thickness of the worktop, by creating a proper nook.
It is therefore recommended to check beforehand for possible interferences.



The undermount range

The scheme below shows the whole undermount range classified according to "cabinet": the smallest standard element of a modular kitchen in which a sink can be fitted in.

cabinet 120

Quadra - page 89

Dim. 1050x450 mm - **R0**

cabinet 100

KE - page 93

Dim. 930x450 mm - **R15**

cabinet 90

Quadra - page 89

Dim. 850x505 mm - **R0**

KE - page 93

Dim. 820x450 mm - **R15**

Triplo invaso - page 102

Dim. 860x540 mm - **R50**

cabinet 80

Quadra - page 89

Dim. 785x460 mm - **R0**

Dim. 760x500 mm - **R0**

Quadra R10 - page 91

Dim. 736x426 mm - **R10**

KE - pages 93-94

Dim. 800x450 mm - **R15**

Dim. 760x450 mm - **R15**

Dim. 760x450 mm - **R15**

Dim. 660x450 mm - **R15**

cabinet 80

KE - page 94

Dim. 750x440 mm - **R15**

S4000 - page 97

Dim. 760x480 mm - **R25**

S3000 - page 99

Dim. 761x446 mm - **R60**

Tornado - page 103

Dim. 816x524 mm - **R125**

cabinet 60

Quadra - page 89

Dim. 550x505 mm - **R0**

Quadra R10 - page 91

Dim. 526x426 mm - **R10**

Dim. 476x426 mm - **R10**

KE - pages 94-95

Dim. 538x438 mm - **R15**

Dim. 486x436 mm - **R15**

S4000 - page 97

Dim. 490x440 mm - **R25**

The undermount range

cabinet 60

S3000 - pages 99-100

Dim. 539x436 mm - **R60**

Dim. 580x460 mm - **R60**

Dim. 580x460 mm - **R60**

Big Bowl Soft - page 101

Dim. 550x500 mm - **R95**

Big Bowl - page 101

Dim. 475x425 mm - **R95**

cabinet 45

Quadra - page 90

Dim. 450x505 mm - **R0**

Quadra R10 - page 92

Dim. 406x426 mm - **R10**

KE - page 95

Dim. 440x440 mm - **R15**

S4000 - page 97

Dim. 440x440 mm - **R25**

S3000 - page 99

Dim. 441x441 mm - **R60**

Circolari - page 103

Dim. Ø 440 mm - **R190**

Dim. Ø 440 mm - **R190**

cabinet 40

Quadra - page 90

Dim. 320x505 mm - **R0**

KE - pages 95-96

Dim. 376x436 mm - **R15**

Dim. 310x440 mm - **R15**

S4000 - page 98

Dim. 380x440 mm - **R25**

S3000 - pages 99-100

Dim. 381x441 mm - **R60**

Dim. 377x437 mm - **R60**

cabinet 30

KE - page 96

Dim. 220x440 mm - **R15**

Dim. 220x380 mm - **R15**

S4000 - page 98

Dim. 220x380 mm - **R25**

Big Bowl - page 101

Dim. 170x320 mm - **R50**

Key to symbols

Brushed finish

Microfoster finish

Quadra

The corners at the bottom of the bowls are now rounded to make them easier to clean while the vertical ones, strictly "curve-less", are due to the original, plan and sober concept.

microfoster

In the picture: undermount Quadra bowl with Microfoster finish, an exclusive proposal.

Tre Alto
(8468 000 - pag. 122)

1/2 Circle
(8480 000 - pag. 120)

Quadra

	Features	Version	Code			Technical Drawing

Cabinet 120

AISI 304 brushed
bowl: **47x40 cm**
dimensioni:1050x450
cut-out: see page 251
drain: 3½"

ST

1210 890



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Automatic waste fitting: PR PQ PC

Packing: 1140x540x290 mm 13,2 kg

Cabinet 90

AISI 304 brushed
bowl: **80x40 cm**
dimensions: 850x505
cut-out: see page 251
drain: 3½"

ST

1218 890



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Automatic waste fitting: PR PQ PC

Packing: 930x540x290 mm 11 kg

Cabinet 80

AISI 304 brushed
bowl: **(2x) 34x40 cm**
dimensions: 785x460
cut-out: see page 251
drain: 3½"

ST

1208 890



Accessories: L4 N2 N3 O2 P2 R T1 T2 Z2

Automatic waste fitting: PR PQ PC

Packing: 950x540x290 mm 10,9 kg

Cabinet 80

AISI 304 brushed
bowl: **71x40 cm**
dimensions: 760x500
cut-out: see page 251
drain: 3½"

ST

1217 890

AISI 304 **microfoster**
bowl: **71x40 cm**
dimensions: 760x500
cut-out: see page 251
drain: 3½"

ST

Microfoster

1217 840



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Automatic waste fitting: PR PQ PC

Packing: 910x540x290 mm 10,6 kg

Cabinet 60

AISI 304 brushed
bowl: **50x40 cm**
dimensions: 550x505
cut-out: see page 251
drain: 3½"

ST

1215 890

AISI 304 **microfoster**
bowl: **50x40 cm**
dimensions: 550x505
cut-out: see page 251
drain: 3½"

ST

Microfoster

1215 840



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Automatic waste fitting: PR PQ PC

Packing: 610x540x290 mm 6,6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra

	Features	Version	Code	Technical Drawing
Cabinet 45	AISI 304 brushed bowl: **40x40 cm** dimensions: 450x505 cut-out: see page 251 drain: 3½"	ST	**1214 890**	
	AISI 304 **microfoster** bowl: **40x40 cm** dimensions: 450x505 cut-out: see page 251 drain: 3½"	ST Microfoster	**1214 840**	



Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2

Automatic waste fitting: PR PQ PC

Packing: 560x540x290 mm 6 kg

Cabinet 40	AISI 304 brushed bowl: **27x40 cm** dimensions: 320x505 cut-out: see page 251 drain: 3½"	ST	**1202 890**	



Accessories: L4 N2 O2 T1

Automatic waste fitting: PR PQ PC

Packing: 400x540x290 mm 4,4 kg

Quadra 7" **Cabinet 90**	AISI 304 brushed bowl: **80x40 cm** dimensions: 850x505 cut-out: see page 251 drain: **7"**	ST	**1218 897**	



Accessories: L3 L4 N2 O2 S T T1 Z

Packing: 930x540x290 mm 11,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

L3
Twin chopping board
41x41 cm
8644 004

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 ★★
Grating kit complete with ring support and food collection tray
8159 101

PR
Automatic waste fitting
see page 107
8407 100
8407 000

PQ
Automatic waste fitting
see page 107
8407 102

PC
Automatic waste fitting
see page 107
8407 103



R
St. steel basket
34x40 cm
8611 000

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T ★
St. steel dishes holder 25x35 cm
8100 154



T1
St. steel dishes holder 25x42,5 cm
8100 201

T2 ★★
St. stell dishes holder
21,4x37,9 cm
8100 303

Z ★
St. steel colander
25x36 cm
8154 000

Z2 ★★
St. steel perforated pan 21,5x38 cm
8151 000

★To use only with L3 chopping board ★★To use only with N3 chopping board

Quadra R10

The functionality of a 10 mm radius on all the edges matches the essential design of Quadra sinks, made even more exclusive by the new rectangular overflow.

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 80	AISI 304 brushed bowl: **71x40 cm** dimensions: 736x426 cut-out: see page 251 drain: 3½"	ST	**2307 890**	

Accessories:
L3 L4 N2 N3 O2 P2 S T T1 T2 Z Z2
Automatic waste fitting: PA

Packing: 930x560x250 mm 10 kg

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed bowl: **50x40 cm** dimensions: 526x426 cut-out: see page 251 drain: 3½"	ST	**2305 890**	

Accessories: L3 L4 N2 N3 O2 P2 PS S T T1 T2 Z Z2
Automatic waste fitting: PA

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed bowl: **45x40 cm** dimensions: 476x426 cut-out: see page 251 drain: 3½"	ST	**2304 890**	

Accessories: L3 L4 N2 N3 O2 P2 PS S T T1 T2 Z Z2
Automatic waste fitting: PA

Quadra R10

Features	Version	Code	Technical Drawing
AISI 304 brushed bowl: **38x40 cm** dimensions: 406x426 cut-out: see page 251 drain: 3½"	ST	**2303 890**	

Cabinet 45



Accessories:
L4 N2 N3 O2 P2 PA PS R T1 T2 Z2
Automatic waste fitting: PA

Packing: 600x560x290 mm 5,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Detail of the elegant perimetric overflow that enhance the design of the sink.

Accessories

L3
Twin chopping board
41x41 cm
8644 004



L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

PA
Automatic waste fitting SPACE see page 106
8407 108

PS
Waste fitting SPACE
8403 308



R
St. steel basket
34x40 cm
8611 000



S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

T1
St. steel dishes holder 25x42,5 cm
8100 201

T2 **
St. stell dishes holder
21,4x37,9 cm
8100 303

Z *
St. steel colander
25x36 cm
8154 000

Z2 **
St. steel perforated pan 21,5x38 cm
8151 000

*To use only with L3 chopping board **To use only with N3 chopping board

KE - R15

A comprehensive collection of one-bowl and two-bowl solutions where you will surely find the perfect sink for your needs.

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 100	AISI 304 brushed bowl: **45x40/40x40 cm** dimensions: 930x450 cut-out: see page 251 drain: 3½	ST	**2207 860**	

Accessories: L3 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 1050x520x250 mm 12 kg

	Features	Version	Code	Technical Drawing
Cabinet 90	AISI 304 brushed bowl: **40x40/34x40 cm** dimensions: 820x450 cut-out: see page 251 drain: 3½	ST	**2206 860**	

Accessories: L3 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 950x520x250 mm 10,5 kg

	Features	Version	Code	Technical Drawing
Cabinet 80	AISI 304 brushed bowl: **45x40/27x40 cm** dimensions: 800x450 cut-out: see page 251 drain: 3½	ST	**2205 860**	

Accessories: L3 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 950x520x250 mm 10,5 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KE - R15

	Features	Version	Code			Technical Drawing

Cabinet 80

AISI 304 brushed
bowl: **50x40/18x40 cm**
dimensions: 760x450
cut-out: see page 251
drain: 3½

ST

2204 860



Accessories:
L3 L4 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 850x520x250 mm 8,5 kg

Cabinet 80

AISI 304 brushed
bowl: **(2x) 34x40 cm**
dimensions: 760x450
cut-out: see page 251
drain: 3½

ST

2203 860



Accessories: L4 N2 N3 O2 P2 R T2 Z2
Automatic waste fitting: PR PQ PC

Packing: 850x520x250 mm 8,4 kg

Cabinet 80

AISI 304 brushed
bowl: **40x40/18x40 cm**
dimensions: 660x450
cut-out: see page 251
drain: 3½

ST

2202 860



Accessories:
L3 L4 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 760x520x250 mm 6,2 kg

Cabinet 80

AISI 304 brushed
bowl: **71x40 cm**
dimensions: 750x440
cut-out: see page 251
drain: 3½

ST

2157 860



Accessories:
L3 L4 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 930x520x250 mm 8,2 kg

Cabinet 60

AISI 304 brushed
bowl: **50x40 cm**
dimensions: 538x438
cut-out: see page 251
drain: 3½

ST

2155 860



Accessories:
L3 L4 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 650x580x290 mm 7 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KE - R15

	Features	Version	Code	Technical Drawing
Cabinet 60	AISI 304 brushed bowl: **45x40 cm** dimensions: 486x436 cut-out: see page 251 drain: 3½	ST	**2154 860**	



Accessories:
L3 L4 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 530x520x280 mm 6,3 kg

Cabinet 45	AISI 304 brushed bowl: **40x40 cm** dimensions: 440x440 cut-out: see page 251 drain: 3½	ST	**2156 860**	



Accessories:
L3 L4 N2 N3 O2 P2 S T T2 Z Z2
Automatic waste fitting: PR PQ PC

Packing: 520x500x280 mm 5,8 kg

Cabinet 40	AISI 304 brushed bowl: **34x40 cm** dimensions: 376x436 cut-out: see page 251 drain: 3½	ST	**2153 860**	



Accessories:
L4 N2 N3 O2 P2 R T2 Z2
Automatic waste fitting: PR PQ PC

Packing: 520x460x280 mm 5,3 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

L3
Twin chopping board
41x41 cm
8644 004

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

PR
Automatic waste fitting
see page 107
8407 100
8407 000

PQ
Automatic waste fitting
see page 107
8407 102

PC
Automatic waste fitting
see page 107
8407 103



R
St. steel basket
34x40 cm
8611 000

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

T2 **
St. stell dishes holder
21,4x37,9 cm
8100 303

Z *
St. steel colander
25x36 cm
8154 000

Z2 **
St. steel perforated pan 21,5x38 cm
8151 000

*To use only with L3 chopping board **To use only with N3 chopping board

KE - R15

	Features	Version	Code			Technical Drawing

Cabinet 40

AISI 304 brushed
bowl: **27x40 cm**
dimensions: 310x440
cut-out: see page 251
drain: 3½

ST

2152 860





Accessories: L4 N2
Automatic waste fitting: PR PQ PC

Packing: 460x460x280 mm 4,5 kg

Cabinet 30

AISI 304 brushed
bowl: **18x40 cm**
dimensions: 220x440
cut-out: see page 251
drain: 3½

ST

2151 860





Automatic waste fitting: PR PQ PC

Packing: 300x460x280 mm 3,8 kg

Cabinet 30

AISI 304 brushed
bowl: **18x34 cm**
dimensions: 220x380
cut-out: see page 251
drain: 3½

ST

2150 860





Automatic waste fitting: PR PQ PC

Packing: 300x460x280 mm 3,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

PR
Automatic waste fitting
see page 107
8407 100
8407 000

PQ
Automatic waste fitting
see page 107
8407 102

PC
Automatic waste fitting
see page 107
8407 103

S4000 - R25

Whatever your type of worktop, a stainless steel flush-mount Foster sink will always guarantee hygiene, quality and durability over time.

suggested mixer taps

	Features	Version	Code	Technical Drawing
Cabinet 80	AISI 304 brushed bowl: **71x43** cm dimensions: 760x480 cut-out: see page 251 drain: 3½"	ST	**1267 860**	
Accessories: S Automatic waste fitting: PR PQ PC				Packing: 930x570x250 mm 10,5 kg
Cabinet 60	AISI 304 brushed bowl: **45x40** cm dimensions: 490x440 cut-out: see page 251 drain: 3½"	ST	**1263 860**	
Accessories: L3 L4 N2 N3 O2 P2 S T T2 Z Z2 Automatic waste fitting: PR PQ PC				Packing: 510x510x250 mm 6 kg
Cabinet 45	AISI 304 brushed bowl: **40x40** cm dimensions: 440x440 cut-out: see page 251 drain: 3½"	ST	**1269 860**	
Accessories: L3 L4 N2 N3 O2 P2 S T T2 Z Z2 Automatic waste fitting: PR PQ PC				Packing: 510x510x250 mm 5,8 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4000 - R25

	Features	Version	Code			Technical Drawing

Cabinet 40

AISI 304 brushed
bowl: **34x40** cm
dimensions: 380x440
cut-out: see page 251
drain: 3½"

ST

1262 860



Accessories: L4 N2 O2 R

Automatic waste fitting: PR PQ PC

Packing: 510x450x250 mm 5 kg

Cabinet 30

AISI 304 brushed
bowl: **18x34** cm
dimensions: 220x380
cut-out: see page 251
drain: 3½"

ST

1260 860



Automatic waste fitting: PR PQ PC

Packing: 510x300x200 mm 2,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

L3
Twin chopping board
41x41 cm
8644 004

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

N3
HDPE Twin chopping board
31,7x42,5 cm
8644 101

O2
White plastic bowl
27,2x41,4 cm
8153 100

P2 **
Grating kit complete with ring support and food collection tray
8159 101

PR
Automatic waste fitting
see page 107
8407 100
8407 000

PQ
Automatic waste fitting
see page 107
8407 102

PC
Automatic waste fitting
see page 107
8407 103



R
St. steel basket
34x40 cm
8611 000

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

T2 **
St. stell dishes holder
21,4x37,9 cm
8100 303

Z *
St. steel colander
25x36 cm
8154 000

Z2 **
St. steel perforated pan 21,5x38 cm
8151 000

*To use only with L3 chopping board **To use only with N3 chopping board

S3000

	Features	Version	Code			Technical Drawing

Cabinet 60

Picture shows dx version

AISI 304 brushed
bowl: **50x40** cm
dimensions: 539x436
cut-out: see page 251
drain: 3½"

ST

1116 861 dx
1116 862 sx



Accessories: L4 N2 O2 S
Automatic waste fitting: PR PQ PC

Packing: 630x530x280 mm 6,6 kg

Cabinet 45

Picture shows dx version

AISI 304 brushed
bowl: **40x40** cm
dimensions: 441x441
cut-out: see page 251
drain: 3½"

ST

1114 861 dx
1114 862 sx



Accessories: L4 N2 O2 S
Automatic waste fitting: PR PQ PC

Packing: 550x540x280 mm 5,8 kg

Cabinet 40

Picture shows dx version

AISI 304 brushed
bowl: **34x40** cm
dimensions: 381x441
cut-out: see page 251
drain: 3½"

ST

1117 861 dx
1117 862 sx



Accessories: L4 N2 O2
Automatic waste fitting: PR PQ PC

Packing: 530x470x280 mm 5 kg

Cabinet 80

AISI 304 brushed
bowl: **(2x) 34x40** cm
dimensions: 761x446
cut-out: see page 251
drain: 3½"

ST

1302 860



Accessories: L4 N2
Automatic waste fitting: PR PQ PC

Packing: 810x520x230 mm 8,4 kg

Cabinet 60

Picture shows dx version

AISI 304 brushed
bowl: **34x40/15x30** cm
dimensions: 580x460
cut-out: see page 251
drain: 3½"

ST

1309 861 dx
1309 862 sx



Accessories: A Q R
Automatic waste fitting: PR PQ PC

Packing: 670x580x290 mm 5,6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.
For dx/sx version on mean bowl with drain on righ/left side.

S3000

	Features	Version	Code			Technical Drawing

Cabinet 60

Picture shows dx version

AISI 304 brushed
bowl: **34x40/15x30** cm
dimensions: 580x460
cut-out: see page 251
drain: 3½"

ST

1308 861 dx
1308 862 sx



Accessories: A Q R
Automatic waste fitting: PR PQ PC

Packing: 600x520x200 mm 5,1 kg

Cabinet 40

AISI 304 brushed
bowl: **34x40** cm
dimensions: 377x437
cut-out: see page 251
drain: 3½"

ST

1307 860



Accessories: R
Automatic waste fitting: PR PQ PC

Packing: 520x480x190 mm 3,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

A
Chopping board
34x40
8647 000

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

O2
White plastic bowl
27,2x41,4 cm
8153 100

PR
Automatic waste fitting
see page 107
8407 100
8407 000

PQ
Automatic waste fitting
see page 107
8407 102

PC
Automatic waste fitting
see page 107
8407 103

Q
White colander
17x32 cm
8151 100



R
St. steel basket
34x40 cm
8611 000

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

Big Bowl

	Features	Version	Code			Technical Drawing
Cabinet 60	AISI 304 brushed bowl: **45x40** cm dimensions: 475x425 cut-out: see page 251 drain: 3½"	ST	**1811 050**			



Accessories: S
Automatic waste fitting: PR PQ PC

Packing: 610x530x200 mm 4,8 kg

Cabinet 30	AISI 304 brushed bowl: **15x30** cm dimensions: 170x320 cut-out: see page 251 drain: 3½"	ST	**1300 068**			



Automatic waste fitting: PR PQ PC

Packing: 520x480x190 mm 1 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Big Bowl Soft

	Features	Version	Code			Technical Drawing
Cabinet 60	AISI 304 brushed bowl: **45x40** dimensions: 550x500 cut-out: see page 251 drain: 3½"	ST	**1611 068**			



Accessories: E L4 N2 S
Automatic waste fitting: PR PQ PC

Packing: 650x580x270 mm 5,2 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Accessories

E
Chopping board
45x40
8655 000

L4
Glass chopping board
23x41 cm
8631 300

N2
HDPE chopping board
27,2x42,5 cm
8657 001

PR
Automatic waste fitting
see page 107
8407 100
8407 000

PQ
Automatic waste fitting
see page 107
8407 102

PC
Automatic waste fitting
see page 107
8407 103



S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

Triplo Invaso

Features	Version	Code			Technical Drawing

Cabinet 90

Picture shows sx version



AISI 304 brushed
bowls: **50x40/23x34** cm
dimensions: 860x540
cut-out: see page 251
drain: **automatic 3½"**

ST

1488 861 dx
1488 862 sx



Accessories: M2 M3 N2 O2 S U2 β1 Z

Packing: 1000x600x250 mm 9,6 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The undermount solution exalts the particular feature of Triplo Invaso sink which is able to contain different sliding accessories.

Accessories

H
Chopping board
37x30
8659 111

I
Chopping board
37x46 cm
8659 112

L2
Twin chopping board
37x46 cm
8644 003

M2
Chopping board
28x48
8643 115

M3
Sliding Chopping board 28x48
8643 116

N2
HDPE chopping board
27,2x42,5 cm
8657 001

O **
White plastic bowl
36x30 cm
8152 100

O2
White plastic bowl
27,2x41,4 cm
8153 100

Q
White colander
17x32 cm
8151 100

S
St. steel basket
40x40 cm
8612 000
White basket
40x40 cm
8612 100

T *
St. steel dishes holder 25x35 cm
8100 154

U
St. steel dishes holder 25x45 cm
8100 111

U2
St. steel dishes holder 23x47
8100 115

Z
St. steel colander
25x36 cm
8154 000

α
White basket
8601 000

β1
St. steel dishes holder 25x43 cm
8100 301

*to use only with L2 chopping board **to use only with V bowl holder

Tornado

	Features	Version	Code			Technical Drawing
Cabinet 80	AISI 304 brushed bowl: **73x44** cm dimensions: 816x524 cut-out: see page 251 drain: **automatic 3½"**	ST	**1679 860**			



Third tap hole available

Accessories: H I L2 O Q T U Z

Packing: 940x570x260 mm 7,8 kg

The wide radius of the corners in undermount Tornado sink gives great elegance, which fits both to classic and to modern kitchens.

Circolari

	Features	Version	Code			Technical Drawing
Cabinet 45	AISI 304 brushed bowl: **Ø 38** cm dimensions: Ø 440 cut-out: see page 251 **drain: 2"**	ST	**1010 008**			



Accessories: α

Packing: 470x470x220 mm 2,6 kg

	Features	Version	Code			Technical Drawing
Cabinet 45	AISI 304 brushed bowl: **Ø 38** cm dimensions: Ø 440 cut-out: see page 251 **drain: 3½"**	ST	**1010 068**			



Accessories: α
Automatic waste fitting: PR PQ PC

Packing: 470x470x220 mm 3,4 kg

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Complements

Dispenser

Chromed steel built-in liquid soap/detergent dispenser

Code

8520 000



NEW

Chromed steel built-in liquid soap/detergent dispenser



Code

8530 000

The detail shows the perfect combination between the Tre Alto mixer and the Q Dispenser.

Waste bins

Code

8113 800

One-way waste-basket with access from the worktop (content 20 litres). Lid and paneling in stainless-steel.



Code

8119 000

Waste-basket with access from the worktop; top-end extractable bag with stainless-steel cover (content 13 litres)



Complements

Waste-disposer unit

Power	Code
380 W	**8439 112**

Foster waste disposers can be installed in all our sinks with 3.5" waste fitting. Remember to check the dimensions of the sink-waste shredder assembly. Waste disposers' compatibility with sinks of other manufacturers is not guaranteed.



Accessories for food waste disposers

Radio control

Code
8439 901

The remote control allows easy activation of the food waste disposer even when a switch-controlled outlet is not available.

Pneumatic push button

Code
8439 042

Alternative to the radio control, it can be installed on the worktop or on the sink with hole 35 mm. A small unit, to be fixed in the area under the sink, is connected to the waste disposer.

Complements

"Space"-saving waste fittings for sinks with perimetric overflow

PA

NEW

"Space" automatic waste fitting with overflow

Code
8407 108





Designed for deep bowls, Space has a very small encumbrance. In the drawing the side view of the Space is shown. The height of the compact drain and the conformation of the siphon optimize the area under the sink leaving the necessary space for the needs of separate waste collecting.

PS

NEW

"Space" waste fitting with overflow

Code
8403 308

"Space" waste fitting without overflow*

Code
8403 008

*"Space" waste fitting without overflow can be used in all sinks equipped with 3" 1/2 drain

"Space" automatic waste fitting is a useful complement with a plain and accurate design in every detail: the right fitting for our most presigious sink series.

The elegant steel cap closes tightly the drain and leaves no visible residues collected in the basket below.

"Space" is equipped with the original perimetric overflow that enhances the bowl. Please check if available for the chosen sink.

Complements

Automatic waste fitting

PR

Waste fitting with **round** remote control and with overflow

Code
8407 100

Waste fitting with **round** remote control and without overflow

Code
8407 000

PQ

Premium waste fitting with **squared** remote control and with overflow

Code
8407 102

PC

Premium waste fitting with **cubic** remote control (push-pull) and with overflow

Code
8407 103



Second and third tap hole available

Notes on compatibility of automatic drains

Automatic drains are compatible with sinks that are supplied with at least one second hole (in addition to the tap hole).
For many sinks this is not a standard feature but it can be requested when ordering it. In the sinks drawings standard holes are shown with a continuous line, while positions for any holes on request are shown with a dashed line (see example aside).

For undermount sinks the possibility of insertion of the automatic drain is always shown because the hole can be positioned on the worktop.

The automatic drains presented on this page are all interchangeable.
In the sinks already equipped with automatic drain, where not expressly stated otherwise, the PR drain (code 8407 100) is meant.

The SPACE automatic drain (see p. 106) is not interchangeable with others, because of the different geometry of the overflow, as specified in the sinks series requiring this drain type.

Complements

3”½ Waste fittings

	Code	Description
	8403 008	"Space" waste fitting without overflow
	8403 000	Basket waste fitting without overflow
	8403 308	"Space" waste fitting with perimetric overflow
	8403 303	Basket waste fitting with perimetric overflow
	8403 300	Basket waste fitting with overflow
	8407 200	Waste fitting for Uragano sink (overflow with flexible pipe)

3”½ Premium waste fittings

	Code	Description
	8403 001	Premium Basket waste fitting without overflow
	8403 301	Premium Basket waste fitting with overflow

2” Waste fittings

	Code	Description
	8401 000	2” waste fitting with overflow and rubber plug
	8405 300	2” waste fitting without overflow and rubber plug
	8402 000	One 2” waste fitting with overflow and one 2” waste fitting without overflow

1”¼ Waste fitting

	Code	Description
	8404 000	Overflow fitting 1”¼ for drainer

7” Waste fitting

	Code	Description
	8403 309	7” waste fitting with overflow and st. steel basket

Siphon

	Code	Description
	8410 000	One way siphon with dishwasher socket
	8415 000	Two ways siphon with dishwasher socket
	8435 000	Two way “Spazio” siphon with dishwasher socket
	8433 000	Three way “Spazio” siphon with dishwasher socket

Premium siphons

	Code	Description
	8435 001	Premium* one way "Spazio" siphon with dishwasher socket
	8435 002	Premium* two way "Spazio" siphon with dishwasher socket

* we recommend combining Premium siphons and waste fittings

Various

Code	Description
8660 000	Stainless steel tap's hole Ø 35 mm cover
8669 000	2” rubber plug
8669 001	Strainer plug for 3”½ waste fitting
8669 002	Strainer plug for 3”½ automatic waste fitting
8669 003	Strainer plug for Premium 3”½ waste fitting
8669 004	Strainer plug for Premium 3”½ automatic waste fitting
8155 000	Steel-clad plug 18/10 for waste bins Code 8113-8123
8118 006	Connecting pipe - (black) for waste disposal unit Code 8113-8123
8700 007	Silicone gasket for inset sinks (4 and 8 mm)
8700 062	Silicone gasket for flat-edge and flush-mount inset sinks
8700 080	Fixing brackets adapter kit (18) to be used for worktops 20 mm

How to clean steel

Stainless steel products do not need any particular servicing. However, they do require a certain care and use of adequate detergents for daily cleaning. By and large, all that's needed is to wash with hot water and soap, and thoroughly rinse and dry with a cloth. Do not use: hydrochloric acid, abrasive powders, steel wool, brushes and products for cleaning silver.

When it comes to detergents for cleaning steel, Foster recommends the products in the "Steel Clean" line:

- **all-purpose aerosol** for daily cleaning use
- **microfiber cloth** to wipe off traces of grease and powder.
- **professional cream** to restore the original splendour of the steel, remove scaling, stubborn dirt and rust marks caused by contact with ferrous materials.

Steel Clean - cream
Detergent cream for stainless steel

250 ml bottle

Code
8331 000

pack of 12 pcs.

Code
8331 012

Steel Clean - microfiber
Microfiber cloths for cleaning stainless steel

pack of 3 pcs.

Code
8333 000

12 pack of 3 pcs.

Code
8333 012

Steel Clean - all-purpose
All-purpose detergent with vaporizer

500 ml bottle

Code
8332 000

pack of 12 pcs.

Code
8332 012

Steel Clean - kit
Steel cleaning kit containing:
- 1 bottle containing 250 ml of cream
- 1 bottle containing 500 ml of all-purpose fluid
- 1 pack of 3 microfiber cloths

cleaning kit

Code
8339 000

Mixer Taps

The wide range of Foster mixer taps completes the washing area according to the sinks stainless steel finish and style.

Kelvin page 114
Minimal plus page 115
Minimal page 116
Camillo page 116
Spring page 117
Flexo page 117
Magnum page 118
Play page 119
1/2 Circle page 120
Geo page 121
Tre alto page 122
Tre basso page 122
Arsenio page 123
Flat page 123
Ellis page 124
Luisa page 124
NYC page 125
Lorenzo page 126
Peppone page 126
KS page 127
Gamma page 127
F2000 alto page 128
F2000 basso page 128
GF page 129
S1000 - Z66 page 129
MS page 130
S1000 - Z65 page 130
S1000 - Z85 page 131
MC page 131
LO page 132
Elettra page 132
S1000 - RO page 133
Dispenser page 133

Features

Foster offers a complete and varied collection of mixer taps both for their aesthetics and functional characteristics, and able to give added value to the wide range of sinks. The essential and modern design of squared proposals are are laternative to more traditional models with soft and sinuous aesthetic. The remote controls and dispensers (see Sink Accessories section), reproduce perfectly the design of mixer taps, creating sets of high aesthetic value.

Quality materials
Foster mixer taps meet the strictest regulations. Certified materials with very low lead content and flexible ceramic cartridges tested at very high pressures provide high sturdyness, an always smooth and precise working and, most of all, full safety.

Double water flow
Several models are equipped with a switch to easily change the flow from continuous to shower.

Extractable shower head
The head of the tap is extractable, in order to easily reach any area of the sink.

Tap rotation
All the taps have a wide angle of rotation. Some models even permit a full 360° rotation.

Strenghtening plate
Foster's mixer taps are equipped with the strenghtening plate that offers perfect stability on any sink.

Special solutions

The mixer tap has to be matched with the sink. The number and dimension of the bowls requires an appropriate choice which ensures full functionality in every situation. That is why Foster offers a wide range of mixer taps different for barrel height, rotation, command position and many models with extractable shower head, to simplify the choice that best suits your needs. Below are described some "special solutions" for special situations... and for the most demanding customers.

Kelvin is an innovative mixer tap, sporting an illuminated water flow, which changes colour according to the temperature: blue for cold water, red for hot water, violet if mixed. No electrical connection is required, being the water itself that, flowing through two small turbines, powers the illumination LEDS. Thanks to the visual temperature control, useless water waste and also burnings by hot water can be avoided. The system is enclosed in a small box (16x12x8 cm) easily tucked away in the under-sink cabinet.

Arsenio and **Flat** are two ideal "under-window" solutions. The barrel can be easily lowered to reduce the height of the tap to just a few centimetres.

Magnum mixer tap is ideally suited for a professional use. The flexible hose makes it possible to reach every corner of the sink and the lever positioned directly on the shower makes it extra-easy to control the water flow.

Play offers a particular appealing aesthetic with its big arch. The mixer shower can be tilted and the waterflow directed where needed.

Kelvin



Single-lever mixer tap with rotating barrel, extractable shower-head and temperature-controlled illuminated water-flow. The LED-generated colour changes from red to blue.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm

rotating angle: 170°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8470 000
chromed

Packing: 800x330x90 mm 4,9 kg

Minimal plus



Single lever mixer tap with rotating barrel and separate rinsing-shower (double hole needed, maximum distance between the holes 500 mm)

strenghtening plate is included
hole for tap's building-in: ø 35 mm
double hole needed, distance between the holes:
max 500 mm - min. 85 mm
built-in base: ø 50 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 45 mm
rear encumbrance of control leverage: 40 mm

Code	
8474 100 satin finish	

Packing: 700x280x60 mm 3,5 kg

Minimal



Single lever mixer tap with rotating barrel and extractable shower head with double water-flow.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm
rotating angle: 140°

ceramic disc cartridge
max worktop thickness: 45 mm
rear encumbrance of control
leverage: 40 mm

Code

8473 000
chromed

Packing: 740x300x70 mm 3,4 kg

Camillo



Single lever mixer tap with rotating barrel and extractable shower head.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 48 mm

rotating angle: 170°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8467 000
chromed

8467 100
satin finish

Prezzo €

Packing: 800x330x90 mm 3,5 kg

Spring



Single lever mixer tap with rotating barrel and extractable shower head.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 45 mm
rotating angle: 140°

ceramic disc cartridge
max worktop thickness: 55 mm
rear encumbrance of control
leverage: 80 mm

Code

8472 000
chromed

Packing: 690x290x120 mm 4,4 kg

Flexo



Single lever mixer tap with rotating barrel and flexible head

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 51 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8456 000
chromed

Packing: 500x310x90 mm 3 kg

Magnum



Single lever mixer tap with rotating barrel and movable shower

strenghtening plate is included
hole for tap's building-in: ø 35 mm
rotating angle: 360°
ceramic disc cartridge

max worktop thickness: 50 mm
rear encumbrance of control leverage: 50 mm

Code

8484 000
chromed

Packing: 520x310x80 mm 3,5 kg

Play



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm
rotating angle: 360°

ceramic disc cartridge
max worktop thickness: 40 mm
rear encumbrance of control leverage: 40 mm

Code

8487 000
chromed

Packing: 800x330x90 mm 2,8 kg

1/2 Circle

NEW



Single lever mixer tap with rotating barrel. **New version with aerator.**

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm
rotating angle: 360°

ceramic disc cartridge
max worktop thickness: 40 mm
rear encumbrance of control leverage: 40 mm

Code

8480 000
chromed

Packing: 500x310x90 mm 2,3 kg

Geo



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 55 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8454 000
chromed

Packing: 500x310x90 mm 3 kg

Tre Alto



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 52 mm

rotating angle: 120°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8468 000
chromed

Packing: 500x310x90 mm 4,2 kg

Tre Basso



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 55 mm

rotating angle : 120°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8457 000
chromed

Packing: 500x310x90 mm 3,1 kg

Arsenio





Single-lever mixer tap with rotating, collapsible barrel (Up&Down), with extractable head and remote control (double hole needed, maximum distance between the holes 500 mm).

strenghtening plate is included
hole for tap's building-in: ø 35 mm
double hole needed, distance between the holes:
max 500 mm - min. 85 mm

built-in base: ø 52 mm
rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8471 000
chromed

Packing: 500x310x90 mm 3,2 kg

Flat NEW





Single-lever mixer tap with rotating, collapsible barrel (Up&Down), with remote control (double hole needed, maximum distance between the holes 500 mm).

strenghtening plate is included
hole for tap's building-in: ø 35 mm
double hole needed, distance between the holes:
max 500 mm - min. 85 mm

built-in base: ø 52 mm
rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8478 000
chromed

Packing: 500x310x90 mm 3,2 kg

Ellis



Single lever mixer tap with rotating barrel and extractable shower head.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: 66x46 mm

rotating angle: 120°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8463 000
chromed

Packing: 500x260x100 mm 4,2 kg

Luisa



Single lever mixer tap with rotating barrel and extractable shower head.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm
rotating angle: 360°

ceramic disc cartridge
max worktop thickness: 40 mm
rear encumbrance of control leverage: 50 mm

Code

8482 000
chromed

Packing: 490x260x90 mm 3,1 kg

NYC



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm
rotating angle: 360°

ceramic disc cartridge
max worktop thickness: 40 mm
rear encumbrance of control leverage: 40 mm

Code

8486 000
chromed

Packing: 490x260x90 mm 2,1 kg

Lorenzo

Single lever mixer tap
with rotating barrel and
extractable shower head.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 48 mm

rotating angle: 120°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8466 000
chromed

8466 100
satin finish

Packing: 490x260x90 mm 2,9 kg

Peppone



Single lever mixer tap
with rotating barrel and
extractable shower.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 48 mm

rotating angle: 120°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8465 000
chromed

Packing: 490x260x90 mm 2,5 kg

KS



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 50 mm

Code

8485 000
chromed

Packing: 280x270x90 mm 1,9 kg

Gamma



Single lever mixer tap with rotating barrel and extractable shower head.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm

rotating angle: 180°
ceramic disc cartridge
max worktop thickness: 30 mm

Code

8483 000
chromed

Packing: 520x310x80 mm 3,4 kg

F2000 - Alto



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm
rotating angle: 360°

ceramic disc cartridge
max worktop thickness: 55 mm
rear encumbrance of control
leverage: 40 mm

Code

8458 000
chromed

Packing: 410x280x80 mm 2,3 kg

F2000 - Basso

Single lever mixer tap with rotating barrel and extractable shower.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 60 mm

rotating angle: 180°
ceramic disc cartridge
max worktop thickness: 50 mm

Code

8459 000
chromed

8459 100
satin finish

Packing: 520x310x80 mm 3 kg

GF



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 53 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 30 mm

Code

8452 000
chromed

Packing: 500x310x90 mm 2,6 kg

S1000 - Z66



Single lever mixer tap with rotating barrel and extractable shower.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 55 mm
rotating angle: 360°

ceramic disc cartridge
max worktop thickness: 55 mm
rear encumbrance of control leverage: 60 mm

Code

8448 500
chromed

Packing: 420x280x90 mm 3,1 kg

MS

Single lever mixer tap with rotating barrel and extractable shower.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm

rotating angle: 170°
ceramic disc cartridge
max worktop thickness: 40 mm

Code

8445 000
chromed

8445 800
satin finish

Packing: 310x300x100 mm 2,7 kg

S1000 - Z65

Single lever mixer tap with rotating barrel and extractable shower.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 55 mm

rotating angle: 180°
ceramic disc cartridge
max worktop thickness: 45 mm

Code

8449 500
chromed

Packing: 390x210x90 mm 2,2 kg

S1000 - Z85



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 48 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 55 mm

Code	
8442 500 chromed	

Packing: 420x280x80 mm 2 kg

MC



Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 45 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 40 mm

Code	
8446 000 chromed	

Packing: 280x270x90 mm 1,8 kg

LO





Single lever mixer tap with rotating barrel.

Design: Lucci & Orlandini.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 35 mm

Code

8444 000
chromed

Packing: 370x160x70 mm 2 kg

Elettra NEW





Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 58 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 55 mm

Code

8476 000
chromed

Packing: 420x280x80 mm 2,2 kg

S1000 - RO

Single lever mixer tap with rotating barrel.

strenghtening plate is included
hole for tap's building-in: ø 35 mm
built-in base: ø 50 mm

rotating angle: 360°
ceramic disc cartridge
max worktop thickness: 55 mm

Code	
8443 002 chromed	

Packing: 310x190x80 mm 1,4 kg

Dispenser Quadra



Chromed steel built-in liquid soap/detergent dispenser

Code	
8520 000	

Dispenser Round NEW



Chromed steel built-in liquid soap/detergent dispenser

Code	
8530 000	

Foster
DCS
+ Dirty -
Auto
Bio
Quick
End
SET
Start / C

Dishwashers

Low consumption of energy and water, respect for the quality of home life and high performance.
These are the values of the new Foster dishwashers. An easy but complete range of solutions for every space and washing need, all of them in A Class.

S4000 page 139

S4000 Compact page 140

KS 60 page 142

KS 45 page 142

High performance with respect for the environment



Low consumption of energy and water, respect for the quality of home life and high performance. These are the values of the new Foster dishwashers. An easy but complete of solutions for every space and washing need, that reach the **A++ class**, conforming to new european regulation.

Modular Range
The range of Foster solutions covers every need of washing and space in the kitchen. Besides classic models, with capacity up to 13 place-setting, there are also the slim dishwasher for a cabinet of 45 cm, and the particular compact built-in S4000, for a perfect modular match with the ovens of the same collection.

Total safety
Foster dishwashers are equipped with various safety systems that are activated in case of leaks under the appliance or failure in emptying the tank.
In all models, the pipe supplied is equipped with Acquastop valve that shuts off water supply directly at the tap if faults occur.

Reduced consumption
In Foster dishwashers performance and low power consumption coexist without compromises.
The wide range of programs always allows to choose among quick washes with very low energy and water consumption, up to 8 liters per cycle.

Perfect drying
Even in the delicate function of drying excellent performances are achieved. The advanced ventilation and condensation systems ensure perfectly dry dishes at a contained temperature immediately after the end of the cycle.

Extra Capacity
The loading capacity of a dishwasher is given not only by its volume but also to devices and solutions that can fit the space. In Foster dishwashers, thanks to the adjustable upper basket, the sliding cutlery basket and the foldable combs, space is always according to needs.

Quality of life
Low noise is a key feature of a dishwasher.
All Foster models respect the silence of your kitchen. Thanks to the special acoustic insulation, the S4000 fully built-in dishwasher reaches 45 dB(A) in sound pressure.

S4000

Advanced electronics and many technical solutions make Foster dishwashers particularly flexible, with excellent performance in any situation. The S4000 fully built-in dishwasher is equipped with the exclusive **DCS system** (Dirt Control System) setting the washing parameters according to the degree of dirt, always optimizing the result.

Features

Programs: Foster S4000 dishwasher have 7 different washing programs for the utmost in versatility.

Intensive:	washing at 70°C for heavily soiled plates and pans.
Normal:	washing at 65°C for normally soiled crockery.
Delicate:	washing at 40°C for delicate/slightly soiled crockery.
Auto:	optimizes both results and consumption to suit the load.
Bio:	50°C economy wash. Optimized consumption.
Quick:	ideal for small loads. Washes and dries in just 30 min.
Soaking:	rinses the crockery while waiting to be washed.

Energy class: the exceptional energy and water savings puts the S4000 dishwasher directly in class A++.

Water saving: S4000 is particularly attentive to the consumption of such a valuable resource. **Less than 10 liters** of water are required for a complete washing cycle.

Dirt Control System: can be activated with the Intense, Normal and Delicate programs, it allows to further customize the settings according to the degree of dirt on dishes.

Acquastop: stops the water supply and prevents leaks and overflows at source. It is a standard equipment on all models.

Active Drying System: a unique system exploits the double principle of condensation and ventilation ensuring always brilliant results.

Plates XXL: the large capacity of the lower rack is capable of plates up to 33 cm diameter, also suitable for serving dishes and special pizza-dishes.

Asymmetric sprinkler:
the unique three-arm asymmetric of S4000 dishwasher sprinkle system distributes the water in order to ensure optimal cleaning performance in every point.

Adjustable basket:
the upper basket is simple to adjust in height, even when fully loaded. This allows better space management according to washing needs.

Frontal dispenser:
located on top front of the trolley, is equipped with a double compartment for liquid detergents and multi-purpose pads and improves the accessibility and ease of use.

S4000

S4000 60 cm - fully built-in dishwasher

	Code
fully built-in dishwasher	**2910 010**
Door cladding kit in brushed finish stainless steel (71,6x59,5x2 cm)	**2910 001**

Energy class A++
Place-setting capacity 13
45 dB(A) sound power
as per EN 704-3
Electronic programming
Touch-control digital panel
7 washing programs: intensive, normal, delicate, auto, bio, quick, soaking
Dirt Control System (DCS)
Active Drying System (ADS)
Acquastop safety system
1-12 hour delayed programming
Remaining wash time indication
Setting for all-purpose detergents
Low salt-rinsing agent indicators
Upper basket adjustable in height at full load, **also for 33 cm pizza dishes**
Adjustable cutlery basket
Goblet support
Frontal adjustment of rear feet



Technical data
voltage rating: 230 V - 50 Hz
total power: 2.000-2.150 W
heating power: 1.900 W
water consumption per cycle: 9,9 litres

Door panel dimension limits:
thickness 16-24 mm
height 642-730 mm
* Feet adjustement 0-70 mm

Packing: 660x675x890 mm - 46 Kg

S4000

S4000

S4000 Compact - 60x46 - built-in

	Code		
compact built-in dishwasher	**2946 000**		

Energy class A
Drawer opening
Place-setting capacity 6
51 dB(A) sound power as per EN 704-3
Electronic programming
Touch-control digital panel
5 washing programs: intensive, normal, delicate, bio, quick.

Acquastop safety system
1-9 hour delayed programming
Remaining wash time indication
Setting for all-purpose detergents
Low salt-rinsing agent indicators
Goblet support

Technical data
max door opening: 420 mm
voltage rating: 230 V - 50 Hz
total power: 1.580 W
heating power: 1.500 W
water consumption per cycle: 8 litres

cut-out: 560x450 mm

Packing: 720x680x590 mm - 46 Kg





A dishwasher where never seen before

Series 4000 has been enriched with a new gem. The compact built-in dishwasher, thanks to its small size fits in any space: in suspended kitchens, or even in column together with coordinated ovens, for surprisingly aesthetical matchings.

KS

Features

Programs: Foster KS dishwashers have 8 different washing programs for the utmost in versatility.

Intensive: washing at 70°C for heavily soiled plates and pans.
Daily Clean: washing at 60°C for normally soiled crockery.
Delicate: washing at 40°C for delicate/slightly soiled crockery.
Auto: optimizes both results and consumption to suit the load.
Bio: 50°C economy wash. Optimized consumption.
Baby Care: intense 70 °C washing, for maximum hygiene
Quick: ideal for small loads. Washes and dries in just 30 min.
Soaking: rinses the crockery while waiting to be washed.

Daily Clean: for medium dirty dishes, it is the perfect program for daily use, with record washing time of less than one hour.

Active Drying System: a unique system exploits the double principle of condensation and ventilation ensuring always brilliant results.

Half Load: saving time and energy with the half-load setting. Available on all programs.

Sliding Basket:
the cutlery basket can slide on the comb rack for perfect freedom in space management.

Baby-Care Program:
combines intense washing with a rinsing at high temperature, for a total hygiene guarantee. An additional basket is designed just for children cutlery and utensils.

Multiple shelves:
the shelves of the upper basket are divided to collect simultaneously glasses and cups of different sizes.

KS

KS 60

	Code
fully built-in dishwasher	**2940 000**

Energy class A
Place-setting capacity 12
48 dB (A) sound power as per EN 704-3
Electronic programming
Digital panel
8 washing programs: intensive, daily clean, delicate, auto, bio, quick, soaking, **baby care**
Half-load function for all programs
Active Drying System (ADS)
Acquastop safety system

1-9 hour delayed programming
Remaining wash time indication
Setting for all-purpose detergents
Low salt-rinsing agent indicators
Upper basket adjustable in height at full load
Adjustable cutlery basket
Goblet support
Frontal adjustment of rear feet



Technical data
voltage rating:
220-240 V - 50Hz
total power: 2.200 W
heating power: 2.000 W
water consumption per cycle:13 litres

Door panel dimension limits:
thickness 16-24 mm
height 630-715 mm
* Feet adjustement 0-50 mm

Packing: 650x650x850 cm - 44 Kg

KS 45

	Code
fully built-in dishwasher	**2945 000**

Energy class A
Place-setting capacity 10
49 dB (A) sound power as per EN 704-3
Electronic programming
Digital panel
8 washing programs: intensive, daily clean, delicate, auto, bio, quick, soaking, **baby care**
Half-load function for all programs
Acquastop safety system

1-9 hour delayed programming
Remaining wash time indication
Setting for all-purpose detergents
Low salt-rinsing agent indicators
Upper basket adjustable in height at full load
Adjustable cutlery basket
Goblet support
Frontal adjustment of rear feet



Technical data
voltage rating:
220-240 V - 50 Hz
total power: 2.200 W
heating power: 2.000 W
water consumption per cycle: 12 litres

Door panel dimension limits:
thickness 16-24 mm
height 630-715 mm

* Feet adjustement 0-50 mm

Packing: 650x500x850 cm - 37 Kg